

# Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

## DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT

Regulation (EU) n. 2020/878

Master item code: 101963-

Safety Data Sheet date: 3/1/2025, version 5

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name: DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT  
SDS code: P29081EU  
References: SOCOSAT I80, SATWIPES C86  
UFI: GJS1-ETMK-XP2Q-GSX1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Solvent  
Cleaner  
Industrial uses

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturers:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

-Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

##### Distributors:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

-Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

##### Competent person responsible for the safety data sheet:

msdsinformation-eu@socomore.com

#### 1.4. Emergency telephone number

France : ORFILA (INRS) +33 (0)1 45 42 59 59

International : CHEMTEL +1-813-248-0585.

---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### EC regulation criteria 1272/2008 (CLP)

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

### DIESTONE ZERO HD SATWIPE PROSAT SOCOSAT

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

---

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 15\%$ - $< 20\%$	Dimethyl succinate	CAS: 106-65-0 EC: 203-419-9 REACH No.: 01-2119486681-29	⚠ 3.3/2 Eye Irrit. 2 H319
$\geq 7\%$ - $< 10\%$	propylene carbonate	Index number: 607-194-00-1 CAS: 108-32-7 EC: 203-572-1 REACH No.: 01-2119537232-48	⚠ 3.3/2 Eye Irrit. 2 H319

---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

### DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

No particular treatment.

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

---

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))  
DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT**

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

**7.3. Specific end use(s)**

None in particular

---

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

Occupational exposure limit values

No occupational exposure limit available

DNEL Exposure Limit Values

propylene carbonate - CAS: 108-32-7

Worker Industry: 70.53 mg/m<sup>3</sup> - Worker Professional: 17.4 mg/m<sup>3</sup> - Exposure: Human

Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 20 mg/m<sup>3</sup> - Worker Professional: 10 mg/m<sup>3</sup> - Exposure: Human

Inhalation - Frequency: Long Term, local effects

Worker Industry: 10 mg/kg b.w./day - Worker Professional: 10 mg/kg b.w./day - Exposure:

Human Dermal - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

propylene carbonate - CAS: 108-32-7

Target: Fresh Water - Value: 0.9 mg/l

Target: Marine water - Value: 0.09 mg/l

Target: Sewage treatment plant - Value: 7400 mg/l

Target: Soil - Value: 0.81 mg/kg dwt

Biological Exposure Index

N.A.

**8.2. Exposure controls**

See below, example of PPE to use.

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

---

**SECTION 9: Physical and chemical properties**

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid coated on wipes	--	--
Colour:	Colourless	--	--
Odour:	N.A.	--	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	>100°C	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point (°C):	99 °C	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	Not Relevant	--	--
pH:	Not Relevant	--	--
Kinematic viscosity:	<= 14 mm <sup>2</sup> /sec (40 °C)	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	Not Relevant	--	--
Density and/or relative density:	1.1	--	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))  
DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT**

## 9.2. Other information

No other relevant information

Volatile Organic compounds - VOCs = 0 g/l

N.A. = not available

---

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

Stable under normal conditions

**10.3. Possibility of hazardous reactions**

None

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

None in particular.

**10.6. Hazardous decomposition products**

None.

---

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Toxicological information of the product:

DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))  
DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT**

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Dimethyl succinate - CAS: 106-65-0

Acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 5.000 mg/kg

Test: LD50 - Route: Oral - Species: Rat > 2.000 mg/kg - Notes: estimated to be 2,000 - 5,000 mg/kg

propylene carbonate - CAS: 108-32-7

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 29000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 3000 mg/kg

Reproductive toxicity:

Test: NOAEL - Route: Oral - Species: Rat > 5000 mg/kg

STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat > 5000 mg/kg/d

**11.2. Information on other hazards**

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

Other toxicological information:

None.

---

**SECTION 12: Ecological information****12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT

Not classified for environmental hazards

Based on available data, the classification criteria are not met

Dimethyl succinate - CAS: 106-65-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 50 mg/l - Duration h: 96 - Notes: Experimental

propylene carbonate - CAS: 108-32-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Carp (*Cyprinus carpio*) > 1000 mg/l - Duration h: 96

Endpoint: EC50 - Species: Aquatic invertebrates > 1000 mg/l - Duration h: 48 - Notes: *Daphnia magna*

Endpoint: EC50 - Species: Aquatic plants > 900 - Duration h: 72

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))  
DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT**

Endpoint: EC50 - Species: Microorganisms 25619 - Duration h: 16 - Notes: Pseudomonas putida

Endpoint: LC50 - Species: Fresh water fish 5300 mg/l - Duration h: 96 - Notes: Leuciscus idus

Endpoint: EC50r - Species: Algae > 929 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum (OCDE, 201)

Endpoint: EC50r - Species: Algae > 900 mg/l - Duration h: 72 - Notes: Desmodemus subspicatus (OECD, 201)

**12.2. Persistence and degradability**

propylene carbonate - CAS: 108-32-7

Biodegradability: Biodegradability rate - Test: OECD 301B - Duration: 29 days - %: 83.5

**12.3. Bioaccumulative potential**

propylene carbonate - CAS: 108-32-7

Log Pow -0.41

**12.4. Mobility in soil**

N.A.

**12.5. Results of PBT and vPvB assessment**

vPvB Substances: None - PBT Substances: None

**12.6. Endocrine disrupting properties**

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

**12.7. Other adverse effects**

No harmful effects expected.

---

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

15 02 03 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing other than those mentioned in 15 02 02

---

**SECTION 14: Transport information****14.1. UN number or ID number**

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

**14.2. UN proper shipping name**

N.A.

**14.3. Transport hazard class(es)**

N.A.

**14.4. Packing group**

N.A.

**14.5. Environmental hazards**

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

**14.6. Special precautions for user**

N.A.

**14.7. Maritime transport in bulk according to IMO instruments**

N.A.

The product is transported in conditions that comply with exemption criteria for ADR transport.



## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)  
Regulation (EU) n. 2021/849 (ATP 17 CLP)  
Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

Restriction 75

Listed or in compliance with the following international inventories:

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

N.A.

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

### DIESTONE ZERO HD SATWIPE PROSAT SOCOSAT

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

#### 15.2. Chemical safety assessment

No

---

#### SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 2: Hazards identification

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))  
DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT**

Nostrand Reinold  
CCNL - Appendix 1  
Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))**  
**DIESTONE ZERO HD SATWIPES PROSAT SOCOSAT**

RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.