

Regulation (EU) n. 2020/878

Safety Data Sheet date: 20/12/2023, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PCEH 100 BEIGE PB PCE Trade name:

100276BEU SDS code:

6U7H-SY23-5990-PMRU UFI:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Industrial uses

Paint/Coating

1.3. Details of the supplier of the safety data sheet

Manufacturers:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France -Tel. +33 (0)2 97 43 76 90

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France -Tel. +33 (0)2 97 43 76 90

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

1.4. Emergency telephone number

France: ORFILA (INRS) +33 (0)1 45 42 59 59 International: CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



Danger, Eye Dam. 1, Causes serious eye damage.



Warning, Aquatic Acute 1, Very toxic to aquatic life.



Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

DECL10: This titanium dioxide-containing product is not classified as carcinogen by inhalation because it does not meet the criteria stated in Note 10, Annex VI of Regulation (EC) 1272/2008.

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter <= 10 µm.

Adverse physicochemical, human health and environmental effects:

No other hazards



2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor/... if you feel unwell.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Contains

polyamideamine

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
>= 10% - < 12.5%	polyamideamine			3.3/1 Eye Dam. 1 H318
>= 7% - < 10%	trizinc bis(orthophosphate)	Index number: CAS: EC:	030-011-00-6 7779-90-0 231-944-3	4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410
>= 0.001% - < 0.1%	2-methoxy-1-methyleth yl acetate	Index number: CAS: EC: REACH No.:	607-195-00-7 108-65-6 203-603-9 01-21194757 91-29	2.6/3 Flam. Liq. 3 H226 3.8/3 STOT SE 3 H336 EUH066
>= 0.001% - < 0.1%	1-methoxy-2-propanol; monopropylene glycol methyl ether	Index number: CAS: EC:	603-064-00-3 107-98-2 203-539-1	2.6/3 Flam. Liq. 3 H226 3.8/3 STOT SE 3 H336



		REACH No.:	01-21194574 35-35	
>= 0.001% - < 0.1%	(2-Methoxymethyletho xy)-propanol	Index number: CAS: EC: REACH No.:	603_998_97_ 1 34590-94-8 252-104-2 01-21194500 11-60	Substance with a Union workplace exposure limit.
>= 0.001% - < 0.1%	Quartz	CAS: EC:	14808-60-7 238-878-4	Substance with a Union workplace exposure limit.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

High power water jet

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains

Move undamaged containers from immediate hazard area if it can be done safely.



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up; absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

trizinc bis(orthophosphate) - CAS: 7779-90-0

- OEL Type: EU TWA: 10 mg/m3 Notes: Inhalable dust
- OEL Type: National TWA: 0.9 mg/m3 Notes: France; fraction alvéolaire (Article R4412-149 du Code du travail (réf. : INRS ED 984, 2016; Décret n° 2021-1763)
- OEL Type: National TWA: 4 mg/m3 Notes: France; poussières totales Article
- R4412-149 du Code du travail (réf. : INRS ED 984, 2016; Décret n° 2021-1763)
- OEL Type: National TWA: 1.25 mg/m3 Notes: Germany; fraction alvéolaire (TRGS900)
- OEL Type: National TWA: 10 mg/m3 Notes: Germany ; poussières totales (TRGS900)
- OEL Type: National TWA(8h): 10 mg/m3 Notes: UK; inhalable dust
- OEL Type: National TWA(8h): 4 mg/m3 Notes: UK ; respirable dust
- OEL Type: National TWA: 3 mg/m3 Notes: Belgique; particules respirables
- OEL Type: National TWA: 10 mg/m3 Notes: Belgique ; poussière inhalable



- OEL Type: National TWA: 5 mg/m3 STEL: 10 mg/m3 Notes: Austria ; respirable dust
- OEL Type: National TWA: 10 mg/m3 STEL: 20 mg/m3 Notes: Austria ; respirable dust
- OEL Type: National TWA: 5 mg/m3 STEL: 10 mg/m3 Notes: Denmark ; respirable dust
- OEL Type: National TWA: 10 mg/m3 STEL: 20 mg/m3 Notes: Denmark ; respirable dust
- OEL Type: National TWA: 10 mg/m3 Notes: Finland; respirable dust
- OEL Type: National TWA: 10 mg/m3 Notes: Hungary; inhalable dust
- OEL Type: National TWA: 6 mg/m3 Notes: Hungary ; respirable dust
- OEL Type: National TWA: 10 mg/m3 Notes: Ireland ; inhalable dust
- OEL Type: National TWA: 4 mg/m3 Notes: Ireland ; respirable dust
- OEL Type: National TWA: 10 mg/m3 Notes: Italy ; inhalable dust
- OEL Type: National TWA: 3 mg/m3 Notes: Italy; respirable dust
- OEL Type: National TWA(8h): 10 mg/m3 Notes: Netherlands ; inhalable dust
- OEL Type: National TWA(8h): 5 mg/m3 Notes: Netherlands ; respirable dust
- OEL Type: National TWA(8h): 10 mg/m3 Notes: Poland ; inhalable dust

2-methoxy-1-methylethyl acetate - CAS: 108-65-6

- OEL Type: ACGIH TWA(8h): 150 ppm STEL: 100 ppm
- OEL Type: National TWA(8h): 275 mg/m3, 50 ppm STEL: 550 mg/m3, 100 ppm Behaviour: Binding Notes: France VLEPC
- OEL Type: National TWA(8h): 270 mg/m3, 50 ppm Notes: GERMANY
- OEL Type: National TWA(8h): 274 mg/m3, 50 ppm STEL: 548 mg/m3, 100 ppm Notes: UK (WELs)
- OEL Type: National TWA: 260 mg/m3 STEL: 520 mg/m3 Notes: POLAND
- OEL Type: EU TWA(8h): 275 mg/m3, 50 ppm STEL: 550 mg/m3, 100 ppm Notes: Skin
- OEL Type: AIHA
- TWA: 50 ppm
 - OEL Type: National TWA: 275 mg/m3, 50 ppm STEL(5 min (Mow)): 550 mg/m3, 100 ppm Notes: Österreich
- 1-methoxy-2-propanol; monopropylene glycol methyl ether CAS: 107-98-2
 - OEL Type: National TWA(8h): 188 mg/m3, 50 ppm STEL: 375 mg/m3, 100 ppm Notes: France VLEC INRS TMP N°84
 - OEL Type: National TWA: 370 mg/m3, 100 ppm Notes: Germany
 - OEL Type: National TWA: 180 mg/m3 STEL: 360 mg/m3 Notes: Poland
 - OEL Type: EU TWA(8h): 375 mg/m3, 100 ppm STEL: 563 mg/m3, 150 ppm Notes: Skin
 - OEL Type: ACGIH TWA(8h): 50 ppm STEL: 100 ppm Notes: A4 Eye and URT irr
 - OEL Type: National TWA: 187 mg/m3, 50 ppm STEL(Mow): 187 mg/m3, 50 ppm Notes: Austria
 - OEL Type: National TWA(8h): 375 mg/m3, 100 ppm STEL(15'): 560 mg/m3, 150 ppm Notes: United Kingdom Skin
- OEL Type: National TWA(8h): 188 mg/m3, 50 ppm STEL: 375 mg/m3, 100 ppm Notes: Canada (Gazette Officielle du Québec, January 4, 2023, Vol. 155, No.1)
 (2-Methoxymethylethoxy)-propanol CAS: 34590-94-8
 - OEL Type: National TWA(8h): 310 mg/m3 Notes: Germany Notes DFG, EU
 - OEL Type: National TWA(8h): 308 mg/m3, 50 ppm Notes: France VLEC TMP N° 84
 - OEL Type: EU TWA(8h): 308 mg/m3, 50 ppm Notes: Skin
 - OEL Type: National TWA: 270 mg/m3 STEL: 550 mg/m3 Notes: Czech Republic
 - OEL Type: ACGIH TWA(8h): 50 ppm Notes: Liver & CNS eff



- OEL Type: National TWA(8h): 308 mg/m3, 50 ppm Notes: UK Skin
- OEL Type: National TWA: 307 mg/m3, 50 ppm STEL(5 min (Mow)): 614 mg/m3, 100 ppm Notes: Österreich
- OEL Type: National TWA: 308 mg/m3, 50 ppm Notes: TWA Poland
- OEL Type: National TWA: 240 mg/m3 STEL: 480 mg/m3 Notes: Poland (NDS, NDSCh)

Quartz - CAS: 14808-60-7

- OEL Type: ACGIH TWA(8h): 0.025 mg/m3 Notes: (R), A2 Pulm fibrosis, lung cancer
- OEL Type: National TWA: 0.1 mg/m3 Behaviour: Binding Notes: France (fraction alvéolaire)
- OEL Type: National TWA: 0.1 mg/m3 Behaviour: Binding Notes: France (fraction de poussière alvéolaire)
- OEL Type: EU TWA: 0.1 mg/m3 Notes: Directive (EU) No. 2017/2398 (respirable fraction)
- OEL Type: National TWA: 0.05 mg/m3 Notes: Spain
- OEL Type: National TWA: 0.075 mg/m3 Notes: Netherlands
- OEL Type: National TWA: 0.05 mg/m3 Notes: Finland
- OEL Type: National TWA: 0.1 mg/m3 Notes: Denmark
- OEL Type: National TWA: 0.15 mg/m3 Notes: Austria
- OEL Type: National TWA: 0.15 mg/m3 Notes: Switzerland
- OEL Type: National TWA: 0.1 mg/m3 Notes: Poland
- OEL Type: National TWA: 0.1 mg/m3 STEL: 0.3 mg/m3 Notes: Norway
- OEL Type: National TWA: 0.1 mg/m3 Notes: Belgium
- OEL Type: National TWA: 0.07 mg/m3 Notes: Bulgaria
- OEL Type: National TWA: 0.1 mg/m3 Notes: Czech Republic
- OEL Type: National TWA: 0.1 mg/m3 Notes: Estonia
- OEL Type: National TWA: 0.15 mg/m3 Notes: Hungary [AK] (respirable)
- OEL Type: National TWA: 0.1 mg/m3 STEL: 0.2 mg/m3 Notes: Iceland
- OEL Type: National TWA: 0.1 mg/m3 Notes: Lithuania (IPRD)
- OEL Type: National TWA: 0.1 mg/m3 Notes: Romania
- OEL Type: National TWA: 0.1 mg/m3 Notes: Sweden

DNEL Exposure Limit Values

trizinc bis(orthophosphate) - CAS: 7779-90-0

Worker Industry: 83 mg/kg b.w./day - Consumer: 83 mg/kg b.w./day - Exposure:

Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 5 mg/m3 - Consumer: 2.5 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 0.83 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

2-methoxy-1-methylethyl acetate - CAS: 108-65-6

Worker Industry: 796 mg/kg b.w./day - Consumer: 320 mg/kg b.w./day - Exposure:

Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 275 mg/m3 - Consumer: 33 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 36 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 550 mg/m3 - Consumer: 33 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Worker Industry: 369 mg/m3 - Consumer: 43.9 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects



Worker Industry: 50.6 mg/kg b.w./day - Consumer: 18.1 mg/kg b.w./day - Exposure:

Human Dermal - Frequency: Long Term, systemic effects

Consumer: 3.3 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,

systemic effects

Worker Industry: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term

(acute)

(2-Methoxymethylethoxy)-propanol - CAS: 34590-94-8

Worker Industry: 65 mg/kg b.w./day - Consumer: 15 mg/kg b.w./day - Exposure:

Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 310 mg/m3 - Consumer: 37.2 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 1.67 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,

systemic effects

PNEC Exposure Limit Values

trizinc bis(orthophosphate) - CAS: 7779-90-0

Target: Fresh Water - Value: 0.0206 mg/l

Target: Marine water - Value: 0.0061 mg/l

Target: Freshwater sediments - Value: 117.8 mg/kg dwt

Target: Marine water sediments - Value: 56.5 mg/kg dwt

Target: Soil - Value: 35.6 mg/kg dwt

Target: Sewage treatment plant - Value: 0.052 mg/l

2-methoxy-1-methylethyl acetate - CAS: 108-65-6

Target: Fresh Water - Value: 0.635 mg/l

Target: Marine water - Value: 0.0635 mg/l

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Freshwater sediments - Value: 3.29 mg/kg dw

Target: Marine water sediments - Value: 0.329 mg/kg dw

Target: Soil - Value: 0.29 mg/kg

Target: PNEC intermittent - Value: 6.35 mg/l

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Target: Fresh Water - Value: 10 mg/l

Target: Freshwater sediments - Value: 41.6 mg/kg

Target: Marine water sediments - Value: 4.17 mg/kg

Target: Soil (agricultural) - Value: 2.47 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Marine water - Value: 1 mg/l

Target: Water (intermittent discharge) - Value: 100 mg/l

(2-Methoxymethylethoxy)-propanol - CAS: 34590-94-8

Target: Fresh Water - Value: 19 mg/l

Target: Marine water - Value: 1.9 mg/l

Target: Microorganisms in sewage treatments - Value: 4168 mg/l

Target: Freshwater sediments - Value: 70.2 mg/kg - Notes:: mg/kg p.s. Target: Marine water sediments - Value: 7.02 mg/kg - Notes:: mg/kg p.s.

Target: Soil (agricultural) - Value: 2.74 mg/kg - Notes:: mg/kg p.s.

Target: Water (intermittent discharge) - Value: 190 mg/l

Biological Exposure Index

N.A.

8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Use close fitting safety goggles, don't use eye lens.



Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Beige		
Odour:	inodore/odorle		
	SS		
Melting point/freezing	Not Relevant		
point:			
Boiling point or initial	>36°C		
boiling point and boiling			
range:			
Flammability:	N.A.		
Lower and upper explosion	N.A.		
limit:			
Flash point (°C):	>94°C		
Auto-ignition temperature:	N.A.		
Decomposition	Not Relevant		
temperature:			
pH:	8		
Kinematic viscosity:	> 20,5		
	mm2/sec (40		
	°C)		
Solubility in water:	miscible		
Solubility in oil:	N.A.		
Partition coefficient	N.A.		
n-octanol/water (log value):			
Vapour pressure:	<1.000 hPa		
	(50°C)		
Density and/or relative	~1.44 g/cm3		
density:			
Relative vapour density:	N.A.		

Particle characteristics:

Particle size:	N.A.	

9.2. Other information



Properties	Value	Method:	Notes
Viscosity:	>20.6 mm2/s		
	(40°C)		

Volatile Organic compounds - VOCs = 0.28 % Volatile Organic compounds - VOCs = 4.03 g/l

N.A. = not available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

PCEH 100 BEIGE PB PCE

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met Aspiration hazard



Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

trizinc bis(orthophosphate) - CAS: 7779-90-0

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg bw

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation (dust, mist) - Species: Rat = 5.7 mg/l - Duration: 4h

2-methoxy-1-methylethyl acetate - CAS: 108-65-6

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OECD 401

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402

Test: LC50 - Route: Inhalation - Species: Rat > 10.8 mg/l

Test: LC50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Source: OECD 402

Test: LC0 - Route: Inhalation Vapour - Species: Rabbit = 23.5 mg/l - Source: OECD

403

Test: ATE - Route: Oral > 5000 mg/kg

Test: ATE - Route: Inhalation Vapour > 23.5 mg/l - Duration: 6 hours

Test: ATE - Route: Skin > 5000 mg/kg

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg
Test: LC50 - Route: Inhalation - Species: Rat > 5 mg/l - Duration: 4h

(2-Methoxymethylethoxy)-propanol - CAS: 34590-94-8

Acute toxicity

ATE - Oral 5001 mg/kg bw

ATE - Dermal 9510 mg/kg bw

ATE - Inhalation (Vapours) 3,35 mg/l

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 3350 mg/m3 - Notes: aerosol, 7h

Test: ATE - Route: Oral > 5000 mg/kg

Test: ATE - Route: Inhalation Vapour = 3.35 mg/l - Duration: 7h

Test: ATE - Route: Skin = 9510 mg/kg

Quartz - CAS: 14808-60-7

Acute toxicity:

Test: LC50 - Route: Oral = 500 mg/kg

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

Other toxicological information:

None.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. PCEH 100 BEIGE PB PCE

The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 2 - H411 trizinc bis(orthophosphate) - CAS: 7779-90-0



```
a) Aquatic acute toxicity:
            Endpoint: LC50 - Species: Fish = 0.140 mg/l
            Endpoint: EC50 - Species: Daphnia = 0.04 mg/l
            Endpoint: EC50 - Species: Algae = 0.136 mg/l - Duration h: 72
            Endpoint: LC50 - Species: Fish = 0.215 mg Zn/l - Duration h: 96 - Notes: pH 6; Cottus bairdii
            Endpoint: LC50 - Species: Fish = 0.435 mg Zn/l - Duration h: 96 - Notes: pH 8 : Cottus bairdii
            Endpoint: EC50 - Species: Crustacea = 0.154 mg Zn/l - Duration h: 48 - Notes: pH 6;
            daphnia magna
            Endpoint: EC50 - Species: Crustacea = 0.095 mg Zn/l - Duration h: 48 - Notes: pH 8;
            daphnia magna
            Endpoint: EC50 - Species: Algae = 0.308 mg Zn/l - Duration h: 72 - Notes: pH 6;
            Selenastrum capricornutum
            Endpoint: EC50 - Species: Algae = 0.041 mg Zn/l - Duration h: 72 - Notes: pH 8;
            Selenastrum capricornutum
      b) Aquatic chronic toxicity:
            Endpoint: NOEC - Species: Fish = 0.06 mg/l
            Endpoint: NOEC - Species: Algae = 0.055 mg/l - Notes: Selenastrum capricornutum
2-methoxy-1-methylethyl acetate - CAS: 108-65-6
      a) Aquatic acute toxicity:
            Endpoint: EC50 - Species: Aquatic plants > 1000 mg/l - Duration h: 72 - Notes: Selenastrum
            capricornutum, OECD 201
            Endpoint: LC50 - Species: Fish = 134 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss,
            OECD 203
            Endpoint: EC50 - Species: Invertebrates > 500 mg/l - Duration h: 48 - Notes: Daphnia magna
      b) Aquatic chronic toxicity:
            Endpoint: NOEC - Species: Fish = 47.5 mg/l - Duration h: 336 - Notes: Oryzias latipes, OECD
            Endpoint: NOEC - Species: Invertebrates > 100 mg/l - Duration h: 504 - Notes: Daphnia
            magna, OECD 202
1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2
      a) Aquatic acute toxicity:
            Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Leuciscus idus,
            LC/EC/IC50
            Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: LC/EC/IC50
            Endpoint: LC50 - Species: Algae > 1000 mg/l - Notes: LC/EC/IC50
            Endpoint: LC50 - Species: Fish < 4600 mg/l - Duration h: 96 - Notes: Leuciscus idus
(2-Methoxymethylethoxy)-propanol - CAS: 34590-94-8
      a) Aquatic acute toxicity:
            Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Poecilia reticulata
            Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 96 - Notes: Crangon crangon
            Endpoint: EC50 - Species: Algae > 969 mg/l
      b) Aquatic chronic toxicity:
            Endpoint: NOEC - Species: Daphnia > 0.5 mg/l - Duration h: 528 - Notes: LOEC: > 0,5 mg/l,
            22 days
      e) Plant toxicity:
            Endpoint: NOEC = 250000 mg/l
      12.2. Persistence and degradability
      2-methoxy-1-methylethyl acetate - CAS: 108-65-6
            Biodegradability: Biological oxygen demand (BOD) - Test: OECD 301F - Duration: 28 days -
            %: 83% - Notes: ISO 9408; 92/69/CEE, C.4-D
      1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2
            Biodegradability: Readily biodegradable
      (2-Methoxymethylethoxy)-propanol - CAS: 34590-94-8
```

Biodegradability: Biodegradability rate - Test: OECD 301F - Duration: 28 days - %: 75



Biodegradability: Biodegradability rate - Test: OECD 302B - Duration: 13 days - %: 93

12.3. Bioaccumulative potential

2-methoxy-1-methylethyl acetate - CAS: 108-65-6

BCF < 100 Log Pow < 3

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Log Pow 0.37

(2-Methoxymethylethoxy)-propanol - CAS: 34590-94-8

Log Pow 1.01 BCF < 100

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

No harmful effects expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

08 01 11* wastes of paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transport information





14.1. UN number or ID number

ADR-UN Number: 3082 IATA-UN Number: 3082 IMDG-UN Number: 3082

14.2. UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (trizinc bis(orthophosphate))

IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (trizinc bis(orthophosphate))

IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (trizinc bis(orthophosphate))

14.3. Transport hazard class(es)

ADR-Class: 9
ADR - Hazard identification number: 90
IATA-Class: 9

IATA-Label: 9 IMDG-Class: 9

14.4. Packing group

ADR-Packing Group: III



IATA-Packing group: III IMDG-Packing group: III

14.5. Environmental hazards

ADR-Enviromental Pollutant: Yes
IMDG-Marine pollutant: Yes
IMDG-EmS: F-A , S-F

14.6. Special precautions for user

ADR-Subsidiary hazards:

ADR-S.P.: 274 335 375 601 ADR-Transport category (Tunnel restriction code): 3 (-)

IATA-Passenger Aircraft: 964
IATA-Subsidiary hazards: IATA-Cargo Aircraft: 964

IATA-S.P.: A97 A158 A197 A215

IATA-ERG: 9
IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category A

IMDG-Segregation: -

Q.L.: 5L Q.E.: E1

14.7. Maritime transport in bulk according to IMO instruments

NΑ

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3



Restrictions related to the substances contained:

Restriction 40 Restriction 70 Restriction 75

Listed or in compliance with the following international inventories:

Labelling of detergents (EC Regulations 648/2004 and 907/2006): N.A.

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive) Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: E1, E2

15.2. Chemical safety assessment

No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Hazard class and	Code	Description
hazard category		
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure,
		Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1



Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aqualic Cilionic Z	4.1/62	Cilionic (long term) aquatic hazard, category z

This safety data sheet has been completely updated in compliance to Regulation 2020/878. (EC) 1272/2008 [CLP] Yönetmeligine göre karisimlarin siniflandirmasini elde etmek için kullanılan siniflandirma ve prosedür:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Dam. 1, H318	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 2, H411	Calculation method

Due to the integration of the Mader Aero products range into the Socomore Group, all Safety Data Sheets have been re-evaluated on the basis of consolidated information. This may have led to significant changes in our Safety Data Sheets. If you have any questions regarding these changes, you can contact us at the address indicated in section 1.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden. SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product. The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.



GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

STOT SE: May cause drowsiness or dizziness

TLV: Threshold Limiting Value. TWA: Time-weighted average

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.