

SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Regulation (EU) n. 2020/878

Master item code: P42578

Safety Data Sheet date: 7/11/2024, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on

Wipes

SDS code: P47123EU

UFI: QQ2W-ES7C-XC4V-THA1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Cleaner

Industrial uses

Uses advised against:

No uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Manufacturers:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France -Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France -Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Competent person responsible for the safety data sheet:

msdsinformation-eu@socomore.com

1.4. Emergency telephone number

UK NPIS 0344 892 0111

France: ORFILA (INRS) +33 (0)1 45 42 59 59 International: CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

EC regulation criteria 1272/2008 (CLP)

Amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: Amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Qty	Name	ldent. Number		Classification
>= 1% - < 3%	ALKYL ALCOHOLS (C10) ETHOXYLATES	CAS: REACH No.:		 \$3.1/4/Oral Acute Tox. 4 H302 \$3.3/1 Eye Dam. 1 H318
>= 0.5% - < 1%	(2- Methoxymethylethoxy)- propanol	CAS: EC:	34590-94-8 252-104-2	Substance with a Union workplace exposure limit.



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

>= 0.001% - < 0.1%	2-AMINOETHANOL	CAS: EC: REACH No.:	01- 2119486455 -28	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

$\textbf{4.2. Most important symptoms and effects}, \ \textbf{both acute and delayed}$

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Occupational exposure limit values

(2-Methoxymethylethoxy)-propanol - CAS: 34590-94-8

- OEL Type: EU TWA(8h): 308 mg/m3, 50 ppm Notes: Skin
- OEL Type: ACGIH TWA(8h): 50 ppm Notes: Liver & CNS eff

2-AMINOETHANOL - CAS: 141-43-5

- OEL Type: National TWA(8h): 0.5 mg/m3 Notes: Germany- DFG, EU, Y, Sh, H, 11
- OEL Type: National TWA(8h): 2.5 mg/m3, 1 ppm STEL(15'): 7.6 mg/m3, 3 ppm -

Behaviour: Binding - Notes: France VLEP - TMP N° 49, 49 Bis

- OEL Type: EU TWA(8h): 2.5 mg/m3, 1 ppm STEL: 7.6 mg/m3, 3 ppm Notes: Skin
- OEL Type: ACGIH TWA(8h): 3 ppm STEL: 6 ppm Notes: Eye and skin irr
- OEL Type: National TWA(8h): 2.5 mg/m3, 0.98 ppm STEL: 7.6 mg/m3, 3 ppm -

Notes: Netherlands

- OEL Type: National TWA(8h): 2.5 mg/m3, 1 ppm STEL: 7.6 mg/m3, 3 ppm Notes: Belgium
- OEL Type: National TWA(8h): 2.5 mg/m3, 1 ppm STEL: 7.6 mg/m3, 3 ppm Notes: UK

DNEL Exposure Limit Values

2-AMINOETHANOL - CAS: 141-43-5

Worker Industry: 3 mg/kg b.w./day - Consumer: 1.5 mg/kg b.w./day - Exposure: Human

Dermal - Frequency: Long Term, systemic effects

Worker Industry: 1 mg/m3 - Consumer: 0.18 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, local effects

Consumer: 1.5 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic

effects

Consumer: 0.28 mg/m3 - Exposure: Human Dermal - Frequency: Long Term, local effects

PNEC Exposure Limit Values

2-AMINOETHANOL - CAS: 141-43-5

Target: Fresh Water - Value: 0.07 mg/l Target: Marine water - Value: 0.007 mg/l

Target: Freshwater sediments - Value: 0.357 mg/l Target: Marine water sediments - Value: 0.036 mg/l

Target: Soil - Value: 1.29 mg/kg dw

Target: PNEC intermittent - Value: 0.028 mg/l Target: Sewage treatment plant - Value: 100 mg/l

Biological Exposure Index

N.A.

8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands:



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid coated on wipes		-
Colour:	Colourless		
Odour:	N.A.		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	100°C		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point (°C):	>100°C		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	6.5		
Kinematic viscosity:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient n-octanol/water (log value):	N.A.		



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Vapour pressure:	2333.1 Pa@20°C		
Density and/or relative density:	1.007-1.017		
Relative vapour density:	N.A.		
Particle characteristics:			
Particle size:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes
Viscosity:	0.001Pa.s		

Volatile Organic compounds - VOCs = 69.7 g/l

N.A. = not available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes Acute toxicity

Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met Serious eye damage/irritation



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

The product is classified: Eye Irrit. 2 H319

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg

Test: LD50 - Route: Oral - Species: Rat <= 2000 mg/kg

2-AMINOETHANOL - CAS: 141-43-5

Acute toxicity

ATE - Inhalation (Vapours) 11 mg/l

Test: LD50 - Route: Oral - Species: Rat = 1089 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 1000 mg/kg

Test: LD50 - Route: Skin - Species: Rat = 2504 mg/kg

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 1.48 mg/l - Duration: 4h

Test: LC50 - Route: Inhalation Dust > 1 mg/l - Duration: 4h

Test: ATE - Route: Inhalation Vapour > 11 mg/l

Reproductive toxicity:

Test: NOAEL - Species: Rat = 225 mg/kg bw/day - Notes: development

Test: NOAEL - Species: Rat = 300 mg/kg bw/day - Notes: fertility

STOT-single exposure:

Route: Inhalation Dust > 5 mg/l - Duration: 4h

STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 300 mg/kg/d - Duration: > 75 days - Source:



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on **Wipes**

OECD 416, Experimental value - Notes: Effect: Body weight, weight of organs, consumption food

Test: NOAEC - Route: Inhalation - Species: Rat = 10 mg/m3 - Duration: 4 weeks (daily, 5 days/week) - Source: OECD 412, Experimental value - Notes: Effect: Lesions to the larynx, trachea and lungs

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

Other toxicological information:

ALKYL ALCOHOLS (C10) ETHOXYLATES

Eye contact:

Severe eye irritation.

Ingestion:

Harmful if swallowed

Stomach pain

Inhalation - May irritate respiratory tracts.

Skin contact:

Pain or irritation, redness

Eye contact:

Pain or irritation, tearing, redness

2-AMINOETHANOL

Low subchronic toxicity by dermal, oral and inhalation routes.

Skin corrosion / irritation (rabbit):

Corrosive

Severe eye injury/irritation (rabbit):

Irritating effect

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Not classified for environmental hazards

Based on available data, the classification criteria are not met

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae >= 1 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae <= 10 mg/l - Duration h: 48 Endpoint: EC50 - Species: Daphnia >= 1 mg/l - Duration h: 48 Endpoint: EC50 - Species: Daphnia <= 10 mg/l - Duration h: 48



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Endpoint: LC50 - Species: Fish >= 1 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish <= 10 mg/kg - Duration h: 48

2-AMINOETHANOL - CAS: 141-43-5

a) Aquatic acute toxicity:

Endpoint: EC20 - Species: Microorganisms > 1000 mg/l - Duration h: 0.5 - Notes: Activated sludge

Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48

Endpoint: EC50 - Species: Aquatic plants = 2.5 mg/l - Duration h: 72 - Notes: Selenastrum

capricornutum

Endpoint: EC50 - Species: Aquatic plants = 22 mg/l - Duration h: 72 - Notes: Scenedesmus

subspicatus / OECD 201

Endpoint: EC50 - Species: Aquatic plants = 2.8 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Subcapitata

Endpoint: EC50 - Species: Microorganisms = 1000 mg/l - Duration h: 3 - Notes: Activated sludge / OECD 209

Endpoint: EC50r - Species: Algae = 2.5 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata, OECD 201

Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96 - Notes: Cyprinus carpio

Endpoint: LC50 - Species: Fish = 170 mg/l - Duration h: 96 - Notes: Carassius auratus (Goldfish)

Endpoint: LC50 - Species: Fish = 227 mg/l - Duration h: 96 - Notes: Pimephales promelas (Fat-head Minnow)

Endpoint: LC50 - Species: Fish = 3684 mg/l - Duration h: 96 - Notes: Brachydanio rerio (Zebra Fish)

Endpoint: LC50 - Species: Fish >= 300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus (Bluegill)

Endpoint: LC50 - Species: Fish >= 114 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss (Rainbow trout)

Endpoint: NOEC - Species: Algae = 1 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata, OECD 201

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 720 - Notes: Oryzias latipes

Endpoint: NOEC - Species: Daphnia = 0.85 mg/l - Duration h: 504

Endpoint: LOEC

- Species: Fish = 3.6 mg/l - Duration h: 720 - Notes: Oryzias latipes

12.2. Persistence and degradability

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Biodegradability: Readily biodegradable

2-AMINOETHANOL - CAS: 141-43-5

Biodegradability: Biodegradability rate - Duration: 21 days - %: > 90

12.3. Bioaccumulative potential

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Not bioaccumulative

2-AMINOETHANOL - CAS: 141-43-5

Log Pow <3 BCF <100



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

12.4. Mobility in soil

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Readily absorbed into soil. Soluble in water.

2-AMINOETHANOL - CAS: 141-43-5

Log Koc 1.17

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

No harmful effects expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

15 02 02* absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A

The product is transported in conditions that comply with exemption criteria for ADR transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 75

Listed or in compliance with the following international inventories:

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

non-ionic surface active agents < 5%

Preservatives: < 5%

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

1999/13/EC (VOC directive)
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment

No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878.



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

(EC) 1272/2008 [CLP] Yönetmeligine göre karisimlarin siniflandirmasini elde etmek için kullanılan siniflandirma ve prosedür:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.



SkyWipes 602 by Elixair Sealant and Adhesive Remover SkyWash on Wipes

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

STOT SE: May cause drowsiness or dizziness

TLV: Threshold Limiting Value.
TWA: Time-weighted average

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.