

Master item code: P45520

Safety Data Sheet date: 20/11/2024, version 2

1. Identification

GHS Product Identifier

Mixture identification:

Trade name: SOCOCLEAN AQUAFORTE WIPES

SDS code: P47121EU

Recommended use of the chemical and restrictions on use

Recommended use:

Cleaner

Industrial uses

Restrictions on use:

No uses advised against are identified.

Supplier's details

Manufacturers:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France -Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Surface Prep New Zealand Ltd, 301/ 6-8 Heather Street Parnell, Auckland 1052, NEW ZEALAND, PH 021 455595 / info@surfaceprep.co.nz

Competent person responsible for the safety data sheet:

msdsinformation-eu@socomore.com

Emergency phone number:

New Zealand emergency phone number: 0800 764 766 (0800 POISON)

International: CHEMTEL +1-813-248-0585.

2. Hazards identification

Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is consistent with ERMA New Zealand Approval number (HSNO) which is reported in Section 15.

Warning, Skin Irrit. 3, Causes mild skin irritation.

GHS label elements, including precautionary statements

Hazard pictograms:

None

P47121EU/2 Page 1 / 10



Warning

Hazard statements:

H316 Causes mild skin irritation.

Precautionary statements:

P332+P313 If skin irritation occurs: Get medical advice/attention.

Special Provisions:

None

Other hazards which do not result in a classification:

No other hazards

3. Composition/information on ingredients

Substances

N.A.

(N.A. = not applicable)

Mixtures

Hazardous components within the meaning of GHS and related classification:

>= 3% - < 5% 3-butoxypropan-2-ol; propylene glycol monobutyl ether

REACH No.: 01-2119475527-28, Index number: 603-052-00-8, CAS: 5131-66-8, EC: 225-878-4

- 3.3/2A Eye Irrit. 2A H319
- 3.2/2 Skin Irrit, 2 H315

% = weight/weight

NOTE: The Hazard Classifications listed in this section refer to the chemical at a pure concentration. The actual concentration of chemicals has been withheld as trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed, if necessary

Treatment:

P47121EU/2



No particular treatment.

5. Fire-fighting measures

Suitable extinguishing media

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media

None in particular.

Special hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective actions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

For emergency responders:

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Wash with plenty of water.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Product should be stored at above freezing conditions.(>0°C)

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

P47121EU/2



8. Exposure controls/personal protection

Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Worker Industry: 44 mg/kg b.w./day - Consumer: 16 mg/kg b.w./day - Exposure: Human

Dermal - Frequency: Long Term, systemic effects

Worker Industry: 270.5 mg/m3 - Consumer: 33.8 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 8.75 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,

systemic effects

PNEC Exposure Limit Values

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Target: Fresh Water - Value: 0.525 mg/l Target: Marine water - Value: 0.0525 mg/l

Target: Microorganisms in sewage treatments - Value: 10 mg/l

Target: Freshwater sediments - Value: 2.36 mg/kg dw Target: Marine water sediments - Value: 0.236 mg/kg dw

Target: Soil (agricultural) - Value: 0.16 mg/kg dw

Appropriate engineering controls:

None

Individual protection measures, such as personal protective equipment (PPE) Eye protection:

Safety goggles (EN 166)

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

9. Physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid coated on wipes		
Colour:	Light blue		
Odour:	N.A.		
pH:	7	ISO 4316,	



		ASTM E70		
Kinematic viscosity:	N.A.			
Melting point / freezing point:	<0°C			
Initial boiling point and boiling range:	100 °C			
Flammability:		N.A.		
Flash point (°C):	> 100°C			
Upper/lower flammability or explosive limits:	Not Relevant			
Vapour pressure:	Not Relevant			
Vapour density:	N.A.			
Relative density:	> 1			
Solubility in water:	N.A.			
Solubility in oil:	N.A.			
Partition coefficient (n-octanol/water):	N.A.			
Auto-ignition temperature:	Not Relevant			
Decomposition temperature:	N.A.			
Particle characteristics:				
Particle size:	N.A.			

SECTION 10: Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

P47121EU/2 Page 5 / 10



Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information

Information on toxicological effects

Toxicological information of the product:

SOCOCLEAN AQUAFORTE WIPES

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation

The product is classified: Skin Irrit. 3 H316

Serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8



Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2.700 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2.000 mg/kg

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 3.5 mg/l

12. Ecological information

Toxicity

Adopt good working practices, so that the product is not released into the environment.

SOCOCLEAN AQUAFORTE WIPES

Not classified for environmental hazards

Based on available data, the classification criteria are not met

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 560-1000 mg/l - Duration h: 96 - Notes: guppy (Poecilia reticulata)

Endpoint: EC50 - Species: Algae > 560 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata

Endpoint: EC50 - Species: Daphnia > 1.000 mg/l - Duration h: 3

Endpoint: NOEC - Species: Fish = 180 mg/l - Duration h: 96 - Notes: guppy

Endpoint: NOEC - Species: Daphnia = 560 mg/l - Duration h: 48 - Notes: Selenastrum

Endpoint: NOEC - Species: Algae = 560 mg/l - Duration h: 96

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria > 1.000 mg/l - Duration h: 3

Persistence and degradability

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Biodegradability: Readily biodegradable

Bioaccumulative potential

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Potentially bioaccumulative.

Low bioconcentration potential

Mobility in soil

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Mobile

Other adverse effects

No harmful effects expected.

13. Disposal considerations

Disposal methods:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.



14. Transport information

UN number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

N.A.

Packing group, if applicable

N.A

Environmental hazards

ADR-Environmental Pollutant: No IMDG-Marine pollutant: No

Special precautions for user

N.A.

Transport in bulk according to IMO instruments

N.A.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question.

This Safety Data Sheet has been prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Seventh revised edition.

International Inventories:

The substances are listed or exempted from registration in the following international inventories:

N.A.

HSNO Group Standard Approval: HSR002526

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

Volatile Organic compounds - VOCs = 32 g/l

16. Other information

This document was prepared by a competent person who has received appropriate training. Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is consistent with ERMA New Zealand Approval number (HSNO) which is reported in Section 15.

Full text of phrases referred to in Section 3:

P47121EU/2



H319 Causes serious eye irritation.

H315 Causes skin irritation.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

P47121EU/2 Page 9 / 10



LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWA: Time-weighted average

WGK: German Water Hazard Class.

Safety Data Sheet date: 20/11/2024, version 2