

Regulation (EU) n. 2020/878

Safety Data Sheet date: 5/3/2024, version 9

| ce/mixture and of the company/undertaking | |
|--|--|
| | ECTION 1: Identification o |
| | 1.1. Product identifier |
| EAN PC1 | Trade name: |
| | SDS code: |
| Q1-F74Y-0X8U | UFI: |
| stance or mixture and uses advised against | 1.2. Relevant identified u |
| | Recommended use: |
| | Cleaner |
| | Industrial uses |
| a da da ca da ca da | |
| data sheet | 1.3. Details of the supplie Manufacturers: |
| | Socomore SASU |
| 7 - 56037 VANNES CEDEX - France | |
| | |
| | Tel : +33 (0)2 97 43 |
| Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fa | |
| ore.com | +353 21 4889923 / i |
| | Distributors: |
| | Socomore SASU |
| 7 - 56037 VANNES CEDEX - France | |
| | Tel : +33 (0)2 97 43 |
| Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fa | Socomore Ireland L |
| ore.com | +353 21 4889923 / i |
| or the safety data sheet: | Competent person |
| | techdirsocomore@s |
| 15 42 59 59 | 1.4. Emergency telephon France : ORFILA (IN |

International : CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as hazardous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None

Hazard statements:

None



Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2-METHYL-2H-ISOTHIAZOLE-3-ONE. May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Numb | er | Classification |
|-----------------|---|---|--|--|
| >= 1% - < 3% | 3-butoxypropan-2-ol; propylene glycol monobutyl ether | Index number: CAS: EC: REACH No.: | 5131-66-8 225-878-4 | ⁽3.3/2 Eye Irrit. 2 H319 ⁽3.2/2 Skin Irrit. 2 H315 |
| < 0.0005% | 2-METHYL-2H- ISOTHIAZOLE-3-ONE | CAS: EC: REACH No.: | 2682-20-4 220-239-6 01- 2120764690 -50 | 3.1/2/Inhal Acute Tox. 2 H330 3.1/3/Dermal Acute Tox. 3 H311 3.1/3/Oral Acute Tox. 3 H301 3.2/1B Skin Corr. 1B H314 3.3/1 Eye Dam. 1 H318 3.4.2/1A Skin Sens. 1A H317 4.1/C1 Aquatic Chronic 1 H410 4.1/A1 Aquatic Acute 1 H400 M=10. EUH071 Specific Concentration Limits: C >= 0,0015%: Skin Sens. 1A H317 |

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:



In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water.

Carbon dioxide (CO2). Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities



Product should be stored at above freezing conditions.(>0°C) Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection 8.1. Control parameters

Occupational exposure limit values No occupational exposure limit available

DNEL Exposure Limit Values

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Worker Industry: 44 mg/kg b.w./day - Consumer: 16 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects Worker Industry: 270.5 mg/m3 - Consumer: 33.8 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 8.75 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Target: Fresh Water - Value: 0.525 mg/l

Target: Marine water - Value: 0.0525 mg/l

Target: Microorganisms in sewage treatments - Value: 10 mg/l

Target: Freshwater sediments - Value: 2.36 mg/kg dw

Target: Marine water sediments - Value: 0.236 mg/kg dw

Target: Soil (agricultural) - Value: 0.16 mg/kg dw

Biological Exposure Index

N.A.

8.2. Exposure controls

See below, example of PPE to use.

Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None



Appropriate engineering controls: None Other conditions affecting workers exposure: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | Method: | Notes |
|---|--------------|---------------|-------|
| Physical state: | Liquid | | |
| Colour: | Light blue | | |
| Odour: | N.A. | | |
| Melting point/freezing point: | <0°C | | |
| Boiling point or initial boiling point and boiling range: | 100 | | |
| Flammability: | N.A. | | |
| Lower and upper explosion limit: | Not Relevant | | |
| Flash point (°C): | Not Relevant | | |
| Auto-ignition temperature: | Not Relevant | | |
| Decomposition temperature: | Not Relevant | | |
| pH: | 7.5 | | |
| Kinematic viscosity: | N.A. | | |
| Solubility in water: | soluble | | |
| Solubility in oil: | N.A. | | |
| Partition coefficient n- octanol/water (log value): | Not Relevant | | |
| Vapour pressure: | N.A. | | |
| Density and/or relative density: | >1 | | |
| Relative vapour density: | N.A. | | |
| | Particle cha | racteristics: | |

P45530 - version 9 Page 5 / 13



| Particle size: | N.A. | |
|----------------|------|------|
| | | |

9.2. Other information

| Properties | Value | Method: | Notes |
|--------------|-------|---------|-------|
| Miscibility: | full | | |

Volatile Organic compounds - VOCs = 2.8 % Volatile Organic compounds - VOCs = 28 g/l

N.A. = not available

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
- Stable under normal conditions
- 10.3. Possibility of hazardous reactions
- **10.4. Conditions to avoid** Stable under normal conditions.
- 10.5. Incompatible materials
 - None in particular.
- **10.6. Hazardous decomposition products** None.

SECTION 11: Toxicological information

| | rmation on hazard classes as defined in Regulation (EC) No 1272/2 ical information of the product: | :008 |
|------|---|------|
| • | COCLEAN PC1 | |
| Acu | ute toxicity | |
| | Not classified | |
| | Based on available data, the classification criteria are not met | |
| Skir | n corrosion/irritation | |
| | Not classified | |
| | Based on available data, the classification criteria are not met | |
| Ser | ious eye damage/irritation | |
| | Not classified | |
| | Based on available data, the classification criteria are not met | |
| Res | spiratory or skin sensitisation | |
| | Not classified | |
| | Based on available data, the classification criteria are not met | |
| Ger | rm cell mutagenicity | |
| | Not classified | |
| 0 | Based on available data, the classification criteria are not met | |
| Car | cinogenicity | |
| | Not classified | Р |
| | | P |
| | | |



| Based on available data, the classification criteria are not met |
|--|
| Reproductive toxicity |
| Not classified |
| Based on available data, the classification criteria are not met |
| STOT-single exposure |
| Not classified |
| Based on available data, the classification criteria are not met |
| STOT-repeated exposure |
| Not classified |
| Based on available data, the classification criteria are not met |
| Aspiration hazard |
| Not classified |
| Based on available data, the classification criteria are not met |
| Toxicological information of the main substances found in the product: |
| 3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8 |
| Acute toxicity: |
| Test: LD50 - Route: Oral - Species: Rat = 2.700 mg/kg |
| Test: LD50 - Route: Skin - Species: Rat > 2.000 mg/kg |
| Test: LC50 - Route: Inhalation Vapour - Species: Rat > 3.5 mg/l |

11.2. Information on other hazards

Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1%

Other toxicological information:

3-butoxypropan-2-ol; propylene glycol monobutyl ether Moderate eye irritation, mild corneal lesions Brief contact may cause moderate skin irritation with local redness.

2-METHYL-2H-ISOTHIAZOLE-3-ONE Skin irritation: Slight irritation by prolonged contact Eye irritation: Severe eye irritation. Sensitization: Possible by skin contact

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

SOCOCLEAN PC1

Not classified for environmental hazards

Based on available data, the classification criteria are not met

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8



a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 560-1000 mg/l - Duration h: 96 - Notes: guppy (Poecilia reticulata) Endpoint: EC50 - Species: Algae > 560 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata

Endpoint: EC50 - Species: Daphnia > 1.000 mg/l - Duration h: 3

Endpoint: NOEC - Species: Fish = 180 mg/l - Duration h: 96 - Notes: guppy

Endpoint: NOEC - Species: Daphnia = 560 mg/l - Duration h: 48 - Notes: Selenastrum

Endpoint: NOEC - Species: Algae = 560 mg/l - Duration h: 96

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria > 1.000 mg/l - Duration h: 3

- 2-METHYL-2H-ISOTHIAZOLE-3-ONE CAS: 2682-20-4
 - a) Aquatic acute toxicity:

Endpoint: EC50 - Species: activated sludge = 34.6 mg/l - Duration h: 3 - Notes: (DIN 38412-3 - TTC test) - S2791

Endpoint: EC20 - Species: activated sludge = 2.8 mg/l - Duration h: 3 - Notes: (DIN 38412-3 - TTC test) - S2791

12.2. Persistence and degradability

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8 Biodegradability: Readily biodegradable

2-METHYL-2H-ISOTHIAZOLE-3-ONE - CAS: 2682-20-4

Biodegradability: Readily biodegradable - Test: OECD 307 - %: < 0.08 d - Notes: S1110 Biodegradability: Readily biodegradable - Test: OECD 308 - %: 1.28-2.1 d - Notes: S842 Biodegradability: Readily biodegradable - Test: OECD 309 - %: 4.1 d - Notes: S646

12.3. Bioaccumulative potential

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Potentially bioaccumulative.

Low bioconcentration potential

2-METHYL-2H-ISOTHIAZOLE-3-ONE - CAS: 2682-20-4

Log Kow - Test: OECD 117 <= 0.32 - Notes: (n-octanol/water) S325 (HPLC) Method)

BCF 3.16 - Notes: (calculated) literature

12.4. Mobility in soil

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

No harmful effects expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

07 06 99 wastes not otherwise specified



SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

14.2. UN proper shipping name

N.A.

- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group

N.A.

- 14.5. Environmental hazards

 ADR-Environmental Pollutant:

 IMDG-Marine pollutant:
- 14.6. Special precautions for user N.A.
- 14.7. Maritime transport in bulk according to IMO instruments N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:



No restriction. Restrictions related to the substances contained: Restriction 65 Restriction 75

Listed or in compliance with the following international inventories:

Labelling of detergents (EC Regulations 648/2004 and 907/2006): SOCOCLEAN PC1 non-ionic surface active agents < 5% cationic surface active agents < 5%

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions :
 Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.
 1999/13/EC (VOC directive)
 Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H330 Fatal if inhaled.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.



H318 Causes serious eye damage.H317 May cause an allergic skin reaction.H410 Very toxic to aquatic life with long lasting effects.H400 Very toxic to aquatic life.EUH071 Corrosive to the respiratory tract.

| Hazard class and hazard category | Code | Description |
|----------------------------------|--------------|--|
| Acute Tox. 2 | 3.1/2/Inhal | Acute toxicity (inhalation), Category 2 |
| Acute Tox. 3 | 3.1/3/Dermal | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 | 3.1/3/Oral | Acute toxicity (oral), Category 3 |
| Skin Corr. 1B | 3.2/1B | Skin corrosion, Category 1B |
| Skin Irrit. 2 | 3.2/2 | Skin irritation, Category 2 |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Eye Irrit. 2 | 3.3/2 | Eye irritation, Category 2 |
| Skin Sens. 1A | 3.4.2/1A | Skin Sensitisation, Category 1A |
| Aquatic Acute 1 | 4.1/A1 | Acute aquatic hazard, category 1 |
| Aquatic Chronic 1 | 4.1/C1 | Chronic (long term) aquatic hazard, category 1 |

This safety data sheet has been completely updated in compliance to Regulation 2020/878.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably



the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product. The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

| ADR: | European Agreement concerning the International Carriage of |
|-------------|---|
| | Dangerous Goods by Road. |
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |
| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of |
| | Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport |
| | Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" |
| | (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| LTE: | Long-term exposure. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods |
| | by Rail. |
| STE: | Short-term exposure. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| STOT SE: | May cause drowsiness or dizziness |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |
| TWATLV: | Threshold Limit Value for the Time Weighted Average 8 hour day. |
| | (ACGIH Standard). |
| WGK: | German Water Hazard Class. |
| | |



> P45530 - version 9 Page 13 / 13