

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOCLEAN T2150**

Regulation (EU) n. 2020/878

Safety Data Sheet date: 3/1/2025, version 13**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name: SOCOCLEAN T2150
SDS code: P42150EU
UFI: HGCM-MFYT-WW3V-ND9A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Cleaner
Industrial uses

Uses advised against:

No uses advised against are identified.

1.3. Details of the supplier of the safety data sheet**Manufacturers:**

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France
-Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France
-Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Competent person responsible for the safety data sheet:

msdsinformation-eu@socomore.com

1.4. Emergency telephone number

France : ORFILA (INRS) +33 (0)1 45 42 59 59

International : CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****EC regulation criteria 1272/2008 (CLP)**

- ⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.
- ⚠ Warning, Skin Sens. 1A, May cause an allergic skin reaction.

Adverse physicochemical, human health and environmental effects:

No other hazards

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOCLEAN T2150

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements:

P261 Avoid breathing vapours.

P280 Wear protective gloves/clothing and eye/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH208 Contains 2-METHYL-2H-ISOTHIAZOLE-3-ONE. May produce an allergic reaction.

Contains

Dihydro-3-(octenyl)furan-2,5-dione

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 1\%$ - $< 3\%$	ALKYL ALCOHOLS (C10) ETHOXYLATES	CAS: 68439-46-3 REACH No.: Exempted---- ----	⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.3/1 Eye Dam. 1 H318 Acute Toxicity Estimate: ATE - Oral 1378 mg/kg bw
$\geq 0.3\%$ - $< 0.5\%$	Dihydro-3-(octenyl) furan-2,5-dione	CAS: 26680-54-6 EC: 247-899-8 REACH No.: 01- 2119979082 -33	⚠ 3.1/4/Dermal Acute Tox. 4 H312 ⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.3/2 Eye Irrit. 2 H319 ⚠ 3.4.2/1A Skin Sens. 1A H317 ⚠ 3.2/2 Skin Irrit. 2 H315

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOCLEAN T2150

			Acute Toxicity Estimate: ATE - Oral 1098 mg/kg bw ATE - Dermal 1100 mg/kg bw
>= 0.001% - < 0.1%	2-METHYL-2H- ISOTHIAZOLE-3-ONE	CAS: 2682-20-4 EC: 220-239-6 REACH No.: 01- 2120764690 -50	<p> ◆ 3.1/2/Inhal Acute Tox. 2 H330 ◆ 3.1/3/Dermal Acute Tox. 3 H311 ◆ 3.1/3/Oral Acute Tox. 3 H301 ◆ 3.2/1B Skin Corr. 1B H314 ◆ 3.3/1 Eye Dam. 1 H318 ◆ 3.4.2/1A Skin Sens. 1A H317 ◆ 4.1/C1 Aquatic Chronic 1 H410 ◆ 4.1/A1 Aquatic Acute 1 H400 M=10. EUH071 Specific Concentration Limits: C >= 0,0015%: Skin Sens. 1A H317 </p>
>= 0. 0005% - < 0.001%	maleic anhydride	Index number: 607-096-00-9 CAS: 108-31-6 EC: 203-571-6 REACH No.: 01- 2119472428 -31	<p> ◆ 3.1/4/Oral Acute Tox. 4 H302 ◆ 3.9/1 STOT RE 1 H372 (Respiratory system) (Inhalation) ◆ 3.2/1B Skin Corr. 1B H314 ◆ 3.3/1 Eye Dam. 1 H318 ◆ 3.4.1/1 Resp. Sens. 1 H334 ◆ 3.4.2/1A Skin Sens. 1A H317 EUH071 Specific Concentration Limits: C >= 0,001%: Skin Sens. 1A H317 Acute Toxicity Estimate: ATE - Oral 500 mg/kg bw </p>

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOCLEAN T2150

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOCLEAN T2150

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

maleic anhydride - CAS: 108-31-6

- OEL Type: ACGIH - TWA(8h): 0.01 mg/m³ - Notes: (IFV), DSEN, RSEN, A4 - Resp sens

- OEL Type: National - STEL: 1 mg/m³ - Notes: France - VLCT (VLE) INRS ED 984, 2016

DNEL Exposure Limit Values

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Worker Industry: 294 mg/m³ - Consumer: 87 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 25 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 2080 mg/kg b.w./day - Consumer: 1250 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Dihydro-3-(octenyl)furan-2,5-dione - CAS: 26680-54-6

Worker Industry: 1.0 mg/kg b.w./day mg/kg b.w./day - Exposure: Human Dermal -

Frequency: Short Term (acute)

Worker Industry: 0.33 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 10 mg/kg - Exposure: Human Dermal - Frequency: Long Term, local effects

Worker Industry: 0.5 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 0.1 mg/m³ - Consumer: 0.06 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 3 mg/m³ - Consumer: 1.2 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Dihydro-3-(octenyl)furan-2,5-dione - CAS: 26680-54-6

Target: Fresh Water - Value: 0.02 mg/l

Target: Marine water - Value: 0.002 mg/l

Target: Microorganisms in sewage treatments - Value: 10 mg/l

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOCLEAN T2150

Target: Freshwater sediments - Value: 1.7 mg/kg
 Target: Marine water sediments - Value: 0.17 mg/kg
 Target: Soil - Value: 0.2 mg/kg dw
 Target: Water (intermittent discharge) - Value: 0.2 mg/l
 Target: Sewage treatment plant - Value: 10 mg/l
 Target: Oral (secondary poisoning) (foodstuff) - Value: 300 mg/kg
 maleic anhydride - CAS: 108-31-6
 Target: Fresh Water - Value: 0.04281 mg/l
 Target: Marine water - Value: 0.004281 mg/l
 Target: Water (intermittent discharge) - Value: 0.4281 mg/l
 Target: Soil - Value: 0.0415 mg/l
 Target: Freshwater sediments - Value: 0.334 mg/kg
 Target: Marine water sediments - Value: 0.0334 mg/kg
 Target: Sewage treatment plant - Value: 44.6 mg/l

Biological Exposure Index

N.A.

8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Safety goggles (EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

In case of Aerosol or mist formation, use respiratory protection such as P2 (filters at least 94 % of airborne particles; colour code: White).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Light yellow	--	--

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOCLEAN T2150

Odour:	N.A.	--	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	100 °C	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point (°C):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	7	ISO 4316, ASTM E70	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	1.01	ISO 649, ASTM D1298	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

No other relevant information

Volatile Organic compounds - VOCs = 0 g/l

N.A. = not available

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOCLEAN T2150**SECTION 10: Stability and reactivity****10.1. Reactivity**

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Toxicological information of the product:

SOCOCLEAN T2150

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

ATEmix - Oral 90909,1 mg/kg bw

Skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

Respiratory or skin sensitisation

The product is classified: Skin Sens. 1A H317

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOCLEAN T2150**

Toxicological information of the main substances found in the product:

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Acute toxicity

ATE - Oral 1378 mg/kg bw

Test: LD50 - Route: Oral - Species: Rat = 1000 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 4000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 0.22 mg/l

Test: LD50 - Route: Oral - Species: Rabbit > 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Dihydro-3-(octenyl)furan-2,5-dione - CAS: 26680-54-6

Acute toxicity

ATE - Oral 1098 mg/kg bw

ATE - Dermal 1100 mg/kg bw

Test: LD50 - Route: Oral - Species: Rat = 1098 mg/kg - Source: OECD 425

Test: LD50 - Route: Skin - Species: Rat > 1000 mg/kg - Source: OECD 402

Test: LD50 - Route: Skin - Species: Rabbit > 1000 mg/kg - Source: OECD 402

Test: LD50 - Route: Skin - Species: Rabbit < 2000 mg/kg - Source: OECD 402

Test: LC50 - Route: Inhalation - Species: Rat > 5.3 mg/l - Duration: 4h

Test: LC50 - Route: Inhalation (aerosol) - Species: Rat > 5.3 mg/l

Test: ATE - Route: Oral = 1098 mg/kg

maleic anhydride - CAS: 108-31-6

Acute toxicity

ATE - Oral 500 mg/kg bw

Test: ATE - Route: Oral = 500 mg/kg

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration \geq 0.1%

Other toxicological information:

ALKYL ALCOHOLS (C10) ETHOXYLATES

Eye contact:

Severe eye irritation.

Ingestion:

Harmful if swallowed

Stomach pain

Inhalation - May irritate respiratory tracts.

Skin contact:

Pain or irritation, redness

Eye contact:

Pain or irritation, tearing, redness

-

Dihydro-3-(octenyl)furan-2,5-dione

Skin corrosion / irritation (rabbit):

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOCLEAN T2150

Rabbit, Result: Irritant, OECD Guideline 404

Severe eye damage/irritation:

Eyes - Highly irritant (rabbit)

-

2-METHYL-2H-ISOTHIAZOLE-3-ONE

Skin irritation:

Slight irritation by prolonged contact

Eye irritation:

Severe eye irritation.

Sensitization:

Possible by skin contact

-

maleic anhydride

Eyes : corrosive (rabbit)

SECTION 12: Ecological information**12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

SOCOCLEAN T2150

Not classified for environmental hazards

Based on available data, the classification criteria are not met

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 11 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia = 5.3 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 8.9 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 1.47 mg/l - Duration h: 672 - Notes: Vairon à grosse tête

Endpoint: EC10 - Species: Daphnia = 2.579 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria > 10 mg/l - Duration h: 72 - Notes: Bacille Pseudomonas putida)):

d) Terrestrial toxicity:

Endpoint: LC50 > 1000 mg/kg - Duration h: 336 - Notes: Eisenia fetida

e) Plant toxicity:

Endpoint: NOEC > 100 mg/kg - Duration h: 456

Dihydro-3-(octenyl)furan-2,5-dione - CAS: 26680-54-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Algae > 100 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia > 100 mg/l - Duration h: 24

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss, OECD 203

Endpoint: LC50 - Species: Fish = 484 mg/l - Duration h: 96

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOCLEAN T2150

Endpoint: EC50 - Species: Algae = 110 mg/l - Duration h: 96 - Notes: Selenastrum capricornutum

Endpoint: ErC50 - Species: Algae = 100 mg/l - Duration h: 96 - Notes: Selenastrum capricornutum, OECD directives

Endpoint: NOEC - Species: bacteria = 100 mg/l - Duration h: 3 - Activated sludge

Endpoint: EC50 - Species: Crustacea > 100 mg/l - Duration h: 48 - Notes: Daphnia magna, OECD 202

Species: bacteria = 800 mg/l - Duration h: 3 - Notes: OECD 209 - Activated sludge

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 10 mg/l - Duration h: 144

2-METHYL-2H-ISOTHIAZOLE-3-ONE - CAS: 2682-20-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: activated sludge = 34.6 mg/l - Duration h: 3 - Notes: (DIN 38412-3 - TTC test) - S2791

Endpoint: EC20 - Species: activated sludge = 2.8 mg/l - Duration h: 3 - Notes: (DIN 38412-3 - TTC test) - S2791

12.2. Persistence and degradability

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: 60 - 95.4%

Biodegradability: Dissolved organic carbon - %: 80 - Notes: Method: OCDE - 301C

Biodegradability: Porous crucible, Active substance bismut - %: 97

Biodegradability: Manometer Breathing - Test: EU 301F - Duration: 28 days - %: 81.4

Dihydro-3-(octenyl)furan-2,5-dione - CAS: 26680-54-6

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 19 days - %: 79.9

2-METHYL-2H-ISOTHIAZOLE-3-ONE - CAS: 2682-20-4

Biodegradability: Readily biodegradable - Test: OECD 307 - %: < 0.08 d - Notes: S1110

Biodegradability: Readily biodegradable - Test: OECD 308 - %: 1.28-2.1 d - Notes: S842

Biodegradability: Readily biodegradable - Test: OECD 309 - %: 4.1 d - Notes: S646

12.3. Bioaccumulative potential

ALKYL ALCOHOLS (C10) ETHOXYLATES - CAS: 68439-46-3

Log Pow 2.86 - 3.76

Dihydro-3-(octenyl)furan-2,5-dione - CAS: 26680-54-6

Log Pow > 4.68 - Notes: 22°C / OCDE 107

2-METHYL-2H-ISOTHIAZOLE-3-ONE - CAS: 2682-20-4

Log Kow - Test: OECD 117 <= 0.32 - Notes: (n-octanol/water) S325 (HPLC) Method)

BCF 3.16 - Notes: (calculated) literature

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

No harmful effects expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOCLEAN T2150

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

07 06 04* other organic solvents, washing liquids and mother liquors

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOCLEAN T2150**

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 40

Restriction 75

Listed or in compliance with the following international inventories:

N.A.

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

SOCOCLEAN T2150

anionic surface active agents < 5%

non-ionic surface active agents < 5%

Preservatives: yes

2-methyl-2H-isothiazol-3-one: < 0.01%

1,2-benzisothiazol-3(2H)-one: < 0.01%

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOCLEAN T2150

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H312 Harmful in contact with skin.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H330 Fatal if inhaled.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

EUH071 Corrosive to the respiratory tract.

H372 (Respiratory system) (Inhalation) Causes damage to organs (Respiratory system) through prolonged or repeated exposure if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Resp. Sens. 1	3.4.1/1	Respiratory Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
STOT RE 1	3.9/1	Specific target organ toxicity - repeated exposure, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOCLEAN T2150

Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
-------------------	--------	--

This safety data sheet has been completely updated in compliance to Regulation 2020/878.
Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking
SECTION 3: Composition/information on ingredients
SECTION 8: Exposure controls/personal protection
SECTION 11: Toxicological information
SECTION 15: Regulatory information

(EC) 1272/2008 [CLP] Yönetmeliğine göre karışımların sınıflandırmasını elde etmek için kullanılan sınıflandırma ve prosedür:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1A, H317	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold
CCNL - Appendix 1
Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOCLEAN T2150**

is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.