

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law****SOCOCEL A0203 BLUE PART EC**

Regulation (EU) n. 2020/878

**Safety Data Sheet date: 28/5/2024, version 1****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name: SOCOCEL A0203 BLUE PART EC

SDS code: P14131

UFI: ECSE-UQWN-Y91A-VPAW

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use:

Paint/Coating

Industrial uses

Uses advised against:

No uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet****Manufacturers:**

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

-Tel. +33 (0)2 97 43 76 90

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax

+353 21 4889923 / ireland@socomore.com

**Distributors:**

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

-Tel. +33 (0)2 97 43 76 90

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax

+353 21 4889923 / ireland@socomore.com

**Competent person responsible for the safety data sheet:**

techdirsocomore@socomore.com

**1.4. Emergency telephone number**

France : ORFILA (INRS) +33 (0)1 45 42 59 59

International : CHEMTEL +1-813-248-0585.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****EC regulation criteria 1272/2008 (CLP)****Amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567**

⚠ Warning, Skin Irrit. 2, Causes skin irritation.

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

**2.2. Label elements**

Hazard pictograms:

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law**

**SOCOGEL A0203 BLUE PART EC**



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves and eye/face protection.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

**2.3. Other hazards**

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

**SECTION 3: Composition/information on ingredients**





**3.1. Substances**

N.A.

**3.2. Mixtures**

Hazardous components within the meaning of the CLP regulation and related classification:

Amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Qty	Name	Ident. Number	Classification
$\geq 0.5\%$ - $< 1\%$	acetic acid ... %	Index number: CAS: EC: REACH No.: 607-002-00-6 64-19-7 200-580-7 01- 2119475328 -30	 2.6/3 Flam. Liq. 3 H226  3.2/1A Skin Corr. 1A H314 Specific Concentration Limits: C $\geq 90\%$ : Skin Corr. 1A H314 25% $\leq$ C $< 90\%$ : Skin Corr. 1B H314 10% $\leq$ C $< 25\%$ : Skin Irrit. 2 H315 10% $\leq$ C $< 25\%$ : Eye Irrit. 2 H319
$\geq 0.1\%$ - $< 0.25\%$	1-methoxy-2-propanol; monopropylene glycol methyl ether	Index number: CAS: EC: REACH No.: 603-064-00-3  107-98-2 203-539-1 01-	 2.6/3 Flam. Liq. 3 H226  3.8/3 STOT SE 3 H336 Acute Toxicity Estimate: ATE - Oral 3739 mg/kg bw

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law**

**SOCOGEL A0203 BLUE PART EC**

		2119457435 -35	ATE - Dermal 2001 mg/kg bw ATE - Inhalation (Vapours) 30,02 mg/l
--	--	-------------------	---

---

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

**4.2. Most important symptoms and effects, both acute and delayed**

None

**4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

---

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

**5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

**5.3. Advice for firefighters**

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law****SOCOGEL A0203 BLUE PART EC****SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

**6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

**6.3. Methods and material for containment and cleaning up**

Wash with plenty of water.

**6.4. Reference to other sections**

See also section 8 and 13

---

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

**7.3. Specific end use(s)**

None in particular

---

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

Occupational exposure limit values

acetic acid ... % - CAS: 64-19-7

- OEL Type: Alberta - TWA: 25 mg/m<sup>3</sup>, 10 ppm - STEL: 37 mg/m<sup>3</sup>, 15 ppm - Notes:

CANADA

- OEL Type: British Columbia - TWA: 10 ppm - STEL: 15 ppm - Notes: CANADA

- OEL Type: Québec - TWA: 25 mg/m<sup>3</sup>, 10 ppm - STEL: 37 mg/m<sup>3</sup>, 15 ppm - Notes:

CANADA

- OEL Type: Ontario - TWA: 25 mg/m<sup>3</sup>, 10 ppm - STEL: 37 mg/m<sup>3</sup>, 15 ppm - Notes:

CANADA

- OEL Type: EU - TWA(8h): 25 mg/m<sup>3</sup>, 10 ppm - STEL: 50 mg/m<sup>3</sup>, 20 ppm

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law

### SOCOGEL A0203 BLUE PART EC

- OEL Type: ACGIH - TWA(8h): 10 ppm - STEL: 15 ppm - Notes: URT and eye irr, pulm func
- OEL Type: National - TWA(8h): 25 mg/m<sup>3</sup>, 10 ppm - STEL: 50 mg/m<sup>3</sup>, 20 ppm - Behaviour: Indicative - Notes: France, INRS VELP
- OEL Type: National - TWA: 25 mg/m<sup>3</sup>, 10 ppm - STEL(5 min (Mow)): 50 mg/m<sup>3</sup>, 20 ppm
- Notes: Österreich

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

- OEL Type: National - TWA(8h): 188 mg/m<sup>3</sup>, 50 ppm - STEL: 375 mg/m<sup>3</sup>, 100 ppm - Behaviour: Binding - Notes: France VLEC - INRS TMP N°84
- OEL Type: National - TWA: 370 mg/m<sup>3</sup>, 100 ppm - Notes: Germany
- OEL Type: National - TWA: 180 mg/m<sup>3</sup> - STEL: 360 mg/m<sup>3</sup> - Notes: Poland
- OEL Type: EU - TWA(8h): 375 mg/m<sup>3</sup>, 100 ppm - STEL: 563 mg/m<sup>3</sup>, 150 ppm - Notes: Skin
- OEL Type: ACGIH - TWA(8h): 50 ppm - STEL: 100 ppm - Notes: A4 - Eye and URT irr
- OEL Type: National - TWA: 187 mg/m<sup>3</sup>, 50 ppm - STEL(15min (Miw)): 187 mg/m<sup>3</sup>, 50 ppm - Notes: Austria
- OEL Type: National - TWA(8h): 375 mg/m<sup>3</sup>, 100 ppm - STEL(15min (Miw)): 560 mg/m<sup>3</sup>, 150 ppm - Notes: United Kingdom - Skin
- OEL Type: National - TWA(8h): 188 mg/m<sup>3</sup>, 50 ppm - STEL: 375 mg/m<sup>3</sup>, 100 ppm - Notes: Canada (Gazette Officielle du Québec, January 4, 2023, Vol. 155, No.1)
- OEL Type: National - TWA: 180 mg/m<sup>3</sup>, 50 ppm - Notes: Norway (skin)
- OEL Type: DOW IHG - TWA: 1.5 ppm - STEL: 4.5 ppm

#### DNEL Exposure Limit Values

acetic acid ... % - CAS: 64-19-7

- Worker Professional: 25 mg/m<sup>3</sup> - Consumer: 25 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, local effects
- Worker Professional: 25 mg/m<sup>3</sup> - Consumer: 25 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, local effects
- Frequency: Long Term (repeated)

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

- Worker Industry: 369 mg/m<sup>3</sup> - Consumer: 43.9 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects
- Worker Industry: 50.6 mg/kg b.w./day - Consumer: 18.1 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term, systemic effects
- Consumer: 3.3 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects
- Worker Industry: 553.5 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term (acute)

#### PNEC Exposure Limit Values

acetic acid ... % - CAS: 64-19-7

- Target: Marine water sediments - Value: 1.136 mg/kg
- Target: Freshwater sediments - Value: 11.36 mg/kg
- Target: Marine water - Value: 0.3058 mg/l
- Target: Fresh Water - Value: 3.058 mg/l

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law

### SOCOGEL A0203 BLUE PART EC

Target: Soil (agricultural) - Value: 0.478 mg/kg

Target: Microorganisms in sewage treatments - Value: 85 mg/l

Target: PNEC intermittent - Value: 30.58 mg/l

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Target: Fresh Water - Value: 10 mg/l

Target: Freshwater sediments - Value: 41.6 mg/kg

Target: Marine water sediments - Value: 4.17 mg/kg

Target: Soil (agricultural) - Value: 2.47 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Marine water - Value: 1 mg/l

Target: Water (intermittent discharge) - Value: 100 mg/l

Biological Exposure Index

N.A.

#### 8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Safety goggles (EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Light blue	--	--
Odour:	N.A.	--	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling	100 °C	--	--

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law**

**SOCOGEL A0203 BLUE PART EC**

range:			
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point (°C):	N.A.	--	--
Auto-ignition temperature:	Not Relevant	--	--
Decomposition temperature:	N.A.	--	--
pH:	3.8	ISO 4316, ASTM E70	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	>3.171 kPa, 25 °C	--	--
Density and/or relative density:	1	ISO 649, ASTM D1298	--
Relative vapour density:	<0.763	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

No other relevant information

Volatile Organic compounds - VOCs = 9 g/l

N.A. = not available

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

Stable under normal conditions

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law****SOCOGEL A0203 BLUE PART EC****10.3. Possibility of hazardous reactions**

None

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

None in particular.

**10.6. Hazardous decomposition products**

None.

---

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Toxicological information of the product:

SOCOGEL A0203 BLUE PART EC

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

Serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

acetic acid ... % - CAS: 64-19-7

Acute toxicity:

Test: LD50 - Route: Oral - Species: Mouse = 4960 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 3530 mg/kg



**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law****SOCOGEL A0203 BLUE PART EC**

Test: LD50 - Route: Oral - Species: Rat = 3310 mg/kg - Duration: 4h

Test: LC50 - Route: Inhalation - Species: Mouse > 16000 ppm - Duration: 1h

Test: LC50 - Route: Inhalation - Species: Mouse = 5620 ppm - Duration: 1h

Test: LC50 - Route: Inhalation - Species: Rat = 40 mg/l - Duration: 4h

Skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit 3.3 %

Test: Skin Irritant - Route: Skin - Species: Rabbit 10 %

Serious eye damage/irritation:

Test: Eye Irritant - Route: Skin - Species: Rabbit 0.1 ml/l

Test: Eye Irritant - Route: Skin - Species: Mouse 0.01 ml/l

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Acute toxicity

ATE - Oral 3739 mg/kg bw

ATE - Dermal 2001 mg/kg bw

ATE - Inhalation (Vapours) 30,02 mg/l

Test: LD50 - Route: Oral - Species: Rat (male) = 3739 mg/kg - Source: OECD 401

Test: LD50 - Route: Oral - Species: Rat (female) = 4277 mg/kg - Source: OECD 401

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 5 mg/l - Duration: 4h

Test: LC50 - Route: Inhalation Vapour - Species: Rat (Male, female) = 30.02 mg/l - Duration: 4h - Source: OECD 403

Test: ATE - Route: Oral = 3739 mg/kg

Test: ATE - Route: Inhalation Vapour = 30.02 mg/l - Duration: 4h

**11.2. Information on other hazards**

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq$  0.1%

Other toxicological information:

acetic acid ... %

RD 50 - Inhalation vapours, mouse, 277 ppm, 1h

Skin contact:

Corrosive

Eye contact:

Corrosive

---

**SECTION 12: Ecological information****12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

SOCOGEL A0203 BLUE PART EC

Not classified for environmental hazards

Based on available data, the classification criteria are not met

acetic acid ... % - CAS: 64-19-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 300.82 mg/l - Duration h: 48

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law

### SOCOGEL A0203 BLUE PART EC

Endpoint: EC50 - Species: Algae > 300.82 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 75 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

Endpoint: NOEC - Species: Algae = 300.82 mg/l - Duration h: 72

#### c) Bacteria toxicity:

Endpoint: NOEC - Species: bacteria = 850 mg/l - Duration h: 16

Endpoint: EC10 - Species: bacteria = 1000 mg/l - Duration h: 0.5 - Notes: Pseudomonas putida

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Leuciscus idus, LC/EC/IC50

Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: LC/EC/IC50

Endpoint: LC50 - Species: Algae > 1000 mg/l - Notes: LC/EC/IC50

Endpoint: LC50 - Species: Fish < 4600 mg/l - Duration h: 96 - Notes: Leuciscus idus

### 12.2. Persistence and degradability

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Biodegradability: Readily biodegradable

### 12.3. Bioaccumulative potential

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Log Pow 0.37

### 12.4. Mobility in soil

acetic acid ... % - CAS: 64-19-7

Water miscible - Notes: 100%

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

### 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

### 12.7. Other adverse effects

No harmful effects expected.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

08 01 11\* wastes of paint and varnish containing organic solvents or other dangerous substances

---

## SECTION 14: Transport information

### 14.1. UN number or ID number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

### 14.2. UN proper shipping name

N.A.

### 14.3. Transport hazard class(es)

N.A.

### 14.4. Packing group

N.A.

### 14.5. Environmental hazards

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law

### SOCOGEL A0203 BLUE PART EC

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

#### 14.6. Special precautions for user

N.A.

#### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

---

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 30

Restriction 40

Restriction 75

Listed or in compliance with the following international inventories:

N.A.

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law****SOCOGEL A0203 BLUE PART EC**

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

N.A.

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

**15.2. Chemical safety assessment**

No

---

**SECTION 16: Other information**

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

<b>Hazard class and hazard category</b>	<b>Code</b>	<b>Description</b>
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law**

**SOCOGEL A0203 BLUE PART EC**

Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. (EC) 1272/2008 [CLP] Yönetmeliğine göre karisimlerin sınıflandırmasını elde etmek için kullanılan sınıflandırma ve prosedür:

<b>Classification according to Regulation (EC) Nr. 1272/2008</b>	<b>Classification procedure</b>
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold
- CCNL - Appendix 1
- Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

## Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) , as retained and amended in UK law

### SOCOGEL A0203 BLUE PART EC

ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.