

**Safety Data Sheet (HazCom 2012)
SOCOGEL A0203 BLUE PART EC****Safety Data Sheet date: 7/31/2024, version 4****1. IDENTIFICATION****Product identifier**

Mixture identification:

Trade name: SOCOGEL A0203 BLUE PART EC

Other means of identification:

SDS code: P14131EU

Recommended use of the chemical and restrictions on use

Recommended use:

Paint/Coating

Industrial uses

Restrictions on use:

No uses advised against are identified.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party**Manufacturers:**

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

-Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Dysol Inc. - 5475 E. State Highway 114, Rhome Texas, 76078 / Phone: 1-817-335-1826 / csr-na@socomore.com/ Fax Number: 817-335-2405

Socomore Canada Limited - Unit 113 - 418 East Kent Ave S., Vancouver, BC V5X 2X7, Canada / Email: csr-ca@socomore.com / Phone: +1 604 420 7707 / Fax: +1 604 420 7701

Competent person responsible for the safety data sheet:

msdsinformation-eu@socomore.com

Emergency phone number:

CHEMTEL: +1-813-248-0585 (International); 1-800-255-3924 (USA)

2. HAZARD(S) IDENTIFICATION**Classification of the chemical**

- ⚠ Warning, Skin Irrit. 2, Causes skin irritation.
- ⚠ Warning, Eye Irrit. 2A, Causes serious eye irritation.

Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

**Safety Data Sheet (HazCom 2012)
SOCOGEL A0203 BLUE PART EC**

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

Special Provisions:

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 0.5% - < 1% acetic acid ... %

REACH No.: 01-2119475328-30, Index number: 607-002-00-6, CAS: 64-19-7, EC: 200-580-7

⚠ B.6/3 Flam. Liq. 3 H226

⚠ A.2/1A Skin Corr. 1A H314

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

Safety Data Sheet (HazCom 2012) SOCOGEL A0203 BLUE PART EC

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Safety Data Sheet (HazCom 2012) SOCOGEL A0203 BLUE PART EC

Adequately ventilated premises.

Storage temperature:

Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

acetic acid ... % - CAS: 64-19-7

- OEL Type: Alberta - TWA: 25 mg/m³, 10 ppm - STEL: 37 mg/m³, 15 ppm - Notes: CANADA

- OEL Type: British Columbia - TWA: 10 ppm - STEL: 15 ppm - Notes: CANADA

- OEL Type: Québec - TWA: 25 mg/m³, 10 ppm - STEL: 37 mg/m³, 15 ppm - Notes: CANADA

- OEL Type: Ontario - TWA: 25 mg/m³, 10 ppm - STEL: 37 mg/m³, 15 ppm - Notes: CANADA

- OEL Type: EU - TWA(8h): 25 mg/m³, 10 ppm - STEL: 50 mg/m³, 20 ppm

- OEL Type: ACGIH - TWA(8h): 10 ppm - STEL: 15 ppm - Notes: URT and eye irr, pulm func

- OEL Type: National - TWA(8h): 25 mg/m³, 10 ppm - STEL: 50 mg/m³, 20 ppm - Behaviour: Indicative - Notes: France, INRS VELD

- OEL Type: National - TWA: 25 mg/m³, 10 ppm - STEL(5 min (Mow)): 50 mg/m³, 20 ppm - Notes: Österreich

DNEL Exposure Limit Values

acetic acid ... % - CAS: 64-19-7

Worker Professional: 25 mg/m³ - Consumer: 25 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Professional: 25 mg/m³ - Consumer: 25 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Frequency: Long Term (repeated)

PNEC Exposure Limit Values

acetic acid ... % - CAS: 64-19-7

Target: Marine water sediments - Value: 1.136 mg/kg

Target: Freshwater sediments - Value: 11.36 mg/kg

Target: Marine water - Value: 0.3058 mg/l

Target: Fresh Water - Value: 3.058 mg/l

Target: Soil (agricultural) - Value: 0.478 mg/kg

Target: Microorganisms in sewage treatments - Value: 85 mg/l

Target: PNEC intermittent - Value: 30.58 mg/l

Appropriate engineering controls:

None

Individual protection measures

Eye protection:

Safety goggles (EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

NR (natural rubber, natural latex).

Safety Data Sheet (HazCom 2012) SOCOGEL A0203 BLUE PART EC

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Butyl rubber (isobutylene-isoprene copolymer)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Light blue	--	--
Odour:	N.A.	--	--
Odour threshold:	N.A.	--	--
pH:	3.8	ISO 4316, ASTM E70	--
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	100 °C	--	--
Flash Point (°F):	N.A.	--	--
Flash point (°C):	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	liquid
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	>3.171 kPa, 25 °C	--	--
Vapour density:	<0.763	--	--
Relative density:	1	ISO 649,	--

Safety Data Sheet (HazCom 2012)
SOCOGEL A0203 BLUE PART EC

		ASTM D1298	
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	Not Relevant	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Safety Data Sheet (HazCom 2012)
SOCOGEL A0203 BLUE PART EC**Hazardous decomposition products**

None.

11. TOXICOLOGICAL INFORMATION**Information on toxicological effects**

Toxicological information of the product:

SOCOGEL A0203 BLUE PART EC

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

Serious eye damage/irritation

The product is classified: Eye Irrit. 2A H319

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

acetic acid ... % - CAS: 64-19-7

Acute toxicity:

Test: LD50 - Route: Oral - Species: Mouse = 4960 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 3530 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 3310 mg/kg - Duration: 4h

Test: LC50 - Route: Inhalation - Species: Mouse > 16000 ppm - Duration: 1h

Test: LC50 - Route: Inhalation - Species: Mouse = 5620 ppm - Duration: 1h

Test: LC50 - Route: Inhalation - Species: Rat = 40 mg/l - Duration: 4h

Skin corrosion/irritation:

Safety Data Sheet (HazCom 2012)
SOCOGEL A0203 BLUE PART EC

Test: Skin Irritant - Route: Skin - Species: Rabbit 3.3 %

Test: Skin Irritant - Route: Skin - Species: Rabbit 10 %

Serious eye damage/irritation:

Test: Eye Irritant - Route: Skin - Species: Rabbit 0.1 ml/l

Test: Eye Irritant - Route: Skin - Species: Mouse 0.01 ml/l

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

None.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

SOCOGEL A0203 BLUE PART EC

Not classified for environmental hazards

Based on available data, the classification criteria are not met

acetic acid ... % - CAS: 64-19-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 300.82 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 300.82 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 75 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

Endpoint: NOEC - Species: Algae = 300.82 mg/l - Duration h: 72

c) Bacteria toxicity:

Endpoint: NOEC - Species: bacteria = 850 mg/l - Duration h: 16

Endpoint: EC10 - Species: bacteria = 1000 mg/l - Duration h: 0.5 - Notes: Pseudomonas putida

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

acetic acid ... % - CAS: 64-19-7

Water miscible - Notes: 100%

Other adverse effects

No harmful effects expected.

13. DISPOSAL CONSIDERATIONS**Waste treatment and disposal methods**

Recover if possible. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

Safety Data Sheet (HazCom 2012) SOCOGEL A0203 BLUE PART EC

UN number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

UN proper shipping name

N.A.

Transport hazard class(es)

N.A.

Packing group

N.A.

Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

Special precautions

N.A.

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory or are not required to be listed on the TSCA.

TSCA sections for substances listed in section 3:

acetic acid ... % is listed in TSCA Section 8b.

SARA - Superfund Amendments and Reauthorization Act

Section 302 Extremely Hazardous Substances: no substances listed.

Section 304 Hazardous substances: acetic acid ... %.

Section 313 Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA: acetic acid ... % - Reportable quantity: 5000 pounds.

Reportable quantity for mixture: 881600.9874 pounds.

CAA - Clean Air Act

CAA listed substances:

acetic acid ... % is listed in CAA Section 111, Section 112(b) - HON.

CWA - Clean Water Act

CWA listed substances:

acetic acid ... % is listed in CWA Section 311.

Safety Data Sheet (HazCom 2012) SOCOGEL A0203 BLUE PART EC

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

acetic acid ... %.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

acetic acid ... %.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

acetic acid ... %.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

According to TSCA section 3(2)(B)(i) : a hydrated form of a chemical substance is considered a mixture of the corresponding anhydrous form and water.

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

HMIS: Hazardous Materials Identification System

Safety Data Sheet (HazCom 2012) SOCOGEL A0203 BLUE PART EC

IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.

TOTAL
VOC'S
(TVOC) /
NONEXEMPT
VOC'S
(CVOC):
Using
California
South Coast
Air Quality
Management
District
(SCAQMD)
Rule 1143.

STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average

Safety Data Sheet date: 7/31/2024, version 4