

Safety Data Sheet date: 30/7/2024, version 2

#### 1. Identification

#### **GHS Product Identifier**

Mixture identification:

Trade name: SOCOGEL B 0202 BLUE PART E

SDS code: P14130

# Recommended use of the chemical and restrictions on use

Recommended use:

Paint/Coating Industrial uses

Restrictions on use:

#### Supplier's details

#### Manufacturers:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France -Tel. +33 (0)2 97 43 76 90

Manufacturing - Parc Gohelis - 56250 ELVEN France - Tel +33 (0)2 97 43 76 83 - Fax +33 (0)2 97 54 50 26

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

#### **Distributors:**

Surface Prep Australia Pty Ltd, 13 – 15 Park Avenue, Coffs Harbour, NSW 2450 Australia / john@surfaceprepaustralia.com / Tel. 0484255361

### Competent person responsible for the safety data sheet:

msdsinformation-eu@socomore.com

#### **Emergency phone number:**

Australia emergency phone number: 13 11 26 (Australian Poisons Information Centre)

International: CHEMTEL +1-813-248-0585.

#### 2. Hazards identification

Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is conform to Safe Work Australia Regulation.

- Warning, Skin Irrit. 2, Causes skin irritation.
- Warning, Eye Irrit. 2A, Causes serious eye irritation.

# GHS label elements, including precautionary statements

Hazard pictograms:





#### Warning

#### Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

#### **Special Provisions:**

None

#### Other hazards which do not result in a classification:

No other hazards

# 3. Composition/information on ingredients

#### **Substances**

N.A.

(N.A. = not applicable)

#### **Mixtures**

Hazardous components within the meaning of GHS and related classification:

>= 0.3% - < 0.5% acetic acid ... %

REACH No.: 01-2119475328-30, Index number: 607-002-00-6, CAS: 64-19-7, EC: 200-580-7

2.6/3 Flam. Liq. 3 H226

3.1/5/Oral Acute Tox. 5 H303

♦ 3.2/1A Skin Corr. 1A H314

♦ 3.3/1 Eye Dam. 1 H318

% = weight/weight

NOTE: The Hazard Classifications listed in this section refer to the chemical at a pure concentration. The actual concentration of chemicals has been withheld as trade secret.

#### 4. First-aid measures

P14130/2



#### Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### Most important symptoms/effects, acute and delayed

None

#### Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

#### 5. Fire-fighting measures

#### Suitable extinguishing media

Water.

Carbon dioxide (CO2).

#### Unsuitable extinguishing media

None in particular.

#### Special hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### **Hazardous combustion products:**

None

Explosive properties: N.A.

Oxidizing properties: N.A.

# Special protective actions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

For emergency responders:



### **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

# Methods and material for containment and cleaning up

Wash with plenty of water.

# 7. Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

#### Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

# Conditions for safe storage, including any incompatibilities Incompatible materials:

None in particular.

### Instructions as regards storage premises:

Adequately ventilated premises.

### 8. Exposure controls/personal protection

#### **Control parameters**

acetic acid ... % - CAS: 64-19-7

- OEL Type: Alberta TWA: 25 mg/m3, 10 ppm STEL: 37 mg/m3, 15 ppm Notes: CANADA
- OEL Type: British Columbia TWA: 10 ppm STEL: 15 ppm Notes: CANADA
- OEL Type: Québec TWA: 25 mg/m3, 10 ppm STEL: 37 mg/m3, 15 ppm Notes: CANADA
- OEL Type: Ontario TWA: 25 mg/m3, 10 ppm STEL: 37 mg/m3, 15 ppm Notes: CANADA
- OEL Type: EU TWA(8h): 25 mg/m3, 10 ppm STEL: 50 mg/m3, 20 ppm
- OEL Type: ACGIH TWA(8h): 10 ppm STEL: 15 ppm Notes: URT and eye irr, pulm func
- OEL Type: National TWA(8h): 25 mg/m3, 10 ppm STEL: 50 mg/m3, 20 ppm Behaviour: Indicative Notes: France, INRS VELP

- OEL Type: National - TWA: 25 mg/m3, 10 ppm - STEL(5 min (Mow)): 50 mg/m3, 20 ppm

- Notes: Österreich

#### **DNEL Exposure Limit Values**

acetic acid ... % - CAS: 64-19-7

Worker Professional: 25 mg/m3 - Consumer: 25 mg/m3 - Exposure: Human Inhalation -

Frequency: Short Term, local effects

Worker Professional: 25 mg/m3 - Consumer: 25 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, local effects Frequency: Long Term (repeated)



#### **PNEC Exposure Limit Values**

acetic acid ... % - CAS: 64-19-7

Target: Marine water sediments - Value: 1.136 mg/kg Target: Freshwater sediments - Value: 11.36 mg/kg

Target: Marine water - Value: 0.3058 mg/l Target: Fresh Water - Value: 3.058 mg/l Target: Soil (agricultural) - Value: 0.478 mg/kg

Target: Microorganisms in sewage treatments - Value: 85 mg/l

Target: PNEC intermittent - Value: 30.58 mg/l

# Appropriate engineering controls:

None

# Individual protection measures, such as personal protective equipment (PPE) Eye protection:

Safety goggles (EN 166)

#### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

#### **Protection for hands:**

NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVC (polyvinyl chloride).

Butyl rubber (isobutylene-isoprene copolymer)

#### Respiratory protection:

Not needed for normal use.

### **Thermal Hazards:**

None

# 9. Physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Blue		
Odour:	N.A.		
pH:	3.5		
Kinematic viscosity:	N.A.		
Melting point / freezing point:	Not Relevant		
Initial boiling point and boiling range:	100 °C		
Flammability:		N.A.	



Floob point (°C):	N.A.			
Flash point (°C):	N.A.			
Upper/lower flammability or explosive limits:	N.A.			
Vapour pressure:	>3.188 kPa, 25 °C			
Vapour density:	<0.7377			
Relative density:	1			
Solubility in water:	N.A.			
Solubility in oil:	N.A.			
Partition coefficient (n-octanol/water):	N.A.			
Auto-ignition temperature:	Not Relevant			
Decomposition temperature:	N.A.			
Particle characteristics:				
Particle size:	N.A.			

# **SECTION 10: Stability and reactivity**

Reactivity

Stable under normal conditions

**Chemical stability** 

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

**Hazardous decomposition products** 

None.

# 11. Toxicological information



#### Information on toxicological effects

Toxicological information of the product:

SOCOGEL B 0202 BLUE PART E

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315

Serious eye damage/irritation

The product is classified: Eye Irrit. 2A H319

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

acetic acid ... % - CAS: 64-19-7

Acute toxicity:

Test: LD50 - Route: Oral - Species: Mouse = 4960 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 3530 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 3310 mg/kg - Duration: 4h

Test: LC50 - Route: Inhalation - Species: Mouse > 16000 ppm - Duration: 1h Test: LC50 - Route: Inhalation - Species: Mouse = 5620 ppm - Duration: 1h

Test: LC50 - Route: Inhalation - Species: Rat = 40 mg/l - Duration: 4h

Skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit 3.3 %

Test: Skin Irritant - Route: Skin - Species: Rabbit 10 %



Serious eye damage/irritation:

Test: Eye Irritant - Route: Skin - Species: Rabbit 0.1 ml/l Test: Eye Irritant - Route: Skin - Species: Mouse 0.01 ml/l

### 12. Ecological information

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

SOCOGEL B 0202 BLUE PART E

Not classified for environmental hazards

Based on available data, the classification criteria are not met

acetic acid ... % - CAS: 64-19-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 300.82 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 300.82 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 75 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

Endpoint: NOEC - Species: Algae = 300.82 mg/l - Duration h: 72

c) Bacteria toxicity:

Endpoint: NOEC - Species: bacteria = 850 mg/l - Duration h: 16

Endpoint: EC10 - Species: bacteria = 1000 mg/l - Duration h: 0.5 - Notes: Pseudomonas

putida

# Persistence and degradability

N.A.

# **Bioaccumulative potential**

N.A.

# Mobility in soil

acetic acid ... % - CAS: 64-19-7

Water miscible - Notes: 100%

#### Other adverse effects

No harmful effects expected.

# 13. Disposal considerations

#### Disposal methods:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.

# 14. Transport information

#### **UN** number

Not classified as dangerous in the meaning of ADR, IATA and IMDG transport regulations.

#### **UN proper shipping name**

P14130/2

Page 8 / 10



N.A.

Transport hazard class(es)

N.A.

Packing group, if applicable

N.A.

**Environmental hazards** 

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

Special precautions for user

N.A.

Transport in bulk according to IMO instruments

NA

# 15. Regulatory information

# Safety, health and environmental regulations specific for the product in question.

This Safety Data Sheet has been prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Seventh revised edition.

#### International Inventories:

The substances are listed or exempted from registration in the following international inventories:

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

# 16. Other information

This document was prepared by a competent person who has received appropriate training.

Classification complies with the provisions of the United Nations Globally Harmonized System of

Classification and Labeling of Chemicals (GHS Ed.7) and is conform to Safe Work Australia Regulation.

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H303 May be harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to

P14130/2



SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.

Safety Data Sheet date: 30/7/2024, version 2