

Safety Data Sheet date: 31/1/2024, version 3

1. Identification

GHS Product Identifier

Mixture identification:

Trade name: SOCOPAC 50S AEROSOL

SDS code: P19191

Recommended use of the chemical and restrictions on use

Recommended use:

Paint/Coating Industrial uses

Restrictions on use:

No uses advised against are identified.

Supplier's details

Manufacturers:

Socomore SASU - Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France -Tel. +33 (0)2 97 43 76 90

Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland - Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributors:

Surface Prep Australia Pty Ltd, 13 – 15 Park Avenue, Coffs Harbour, NSW 2450 Australia / john@surfaceprepaustralia.com / Tel. 0484255361

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

Emergency phone number:

Australia emergency phone number: 13 11 26 (Australian Poisons Information Centre)

International: CHEMTEL +1-813-248-0585.

2. Hazards identification

Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is conform to Safe Work Australia Regulation.

- Danger, Aerosol 1, Extremely flammable aerosol. Pressurized container: may burst if heated.
- ◆ Warning, STOT SE 3, May cause drowsiness or dizziness.
- ♦ Warning, STOT RE 2, May cause damage to organs through prolonged or repeated exposure.
- Danger, Asp. Tox. 1, May be fatal if swallowed and enters airways. Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

GHS label elements, including precautionary statements

Hazard pictograms:

P19191/3

Page 1 / 15





Danger

Hazard statements:

H222, H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor/... if you feel unwell.

P314 Get medical advice/attention. if you feel unwell.

P331 Do NOT induce vomiting.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Other hazards which do not result in a classification:

No other hazards

3. Composition/information on ingredients

Substances

N.A.

(N.A. = not applicable)

Mixtures

Hazardous components within the meaning of GHS and related classification:

>= 30% - < 60% HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

REACH No.: 01-2119463258-33, EC: 919-857-5





2.6/3 Flam. Liq. 3 H226

- ♦ 3.10/1 Asp. Tox. 1 H304
- ◆ 3.8/3 STOT SE 3 H336
- >= 25% < 30% HFO-1234ZE

REACH No.: 01-0000019758-54, CAS: 29118-24-9, EC: 471-480-0

- 2.5/C Compr. Gas H280
- >= 3% < 5% HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, AROMATICS (2-25%) REACH No.: 01-2119458049-33, EC: 919-446-0
- 2.6/3 Flam. Liq. 3 H226
- ♦ 3.9/1 STOT RE 1 H372
- 3.10/1 Asp. Tox. 1 H304
- ◆ 3.8/3 STOT SE 3 H336
- 4.1/C2 Aquatic Chronic 2 H411
- >= 0.5% < 1% CO2

CAS: 124-38-9, EC: 204-696-9

- >= 0.5% < 1% BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS REACH No.: 01-2119978241-36, EC: 939-603-7
- ◆ 3.4.2/1B Skin Sens. 1B H317
- >= 0.1% < 0.25% Reaction products between 1H-Benzotriazole-1-methanamine,

N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine,

N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2- methanamine,

N,N-bis(2-ethylhexyl)-5-methyl-, N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

REACH No.: 01-2119982395-25, EC: 939-700-4

- 3.2/2 Skin Irrit. 2 H315
- 3.4.2/1B Skin Sens. 1B H317
- 4.1/A1 Aquatic Acute 1 H400
- 4.1/C2 Aquatic Chronic 2 H411
- >= 0.1% < 0.25% 2-ETHYLHEXANOIC ACID, ZIRCONIIUM SALT

REACH No.: 01-2119979088-21, CAS: 22464-99-9, EC: 245-018-1

- ◆ 3.2/2 Skin Irrit. 2 H315
- 3.7/2 Repr. 2 H361 (Inhalation, Skin)

% = weight/weight

NOTE: The Hazard Classifications listed in this section refer to the chemical at a pure concentration. The actual concentration of chemicals has been withheld as trade secret.



4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

5. Fire-fighting measures

Suitable extinguishing media

CO2 or Dry chemical fire extinguisher.

Unsuitable extinguishing media

None in particular.

Special hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: yes
Oxidizing properties: N.A.

Special protective actions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures For non emergency personnel:

P19191/3



For emergency responders:

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Wash with plenty of water.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Store at ambient temperatures. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

8. Exposure controls/personal protection

Control parameters

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

- OEL Type: National TWA: 1200 mg/m3, 197 ppm Notes: ExxonMobil
- OEL Type: National TWA: 300 mg/m3 STEL: 900 mg/m3 Notes: Poland (NDS, DNSCh)

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, AROMATICS (2-25%)

- OEL Type: National - TWA: 100 ppm - Notes: Poland (NDS) (ACGIH)

CO2 - CAS: 124-38-9

- OEL Type: EU TWA(8h): 9000 mg/m3, 5000 ppm
- OEL Type: ACGIH TWA(8h): 5000 ppm STEL: 30000 ppm Notes: Asphyxia
- OEL Type: National TWA(8h): 9000 mg/m3, 5000 ppm Behaviour: Indicative Notes: France VLEP

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-,

N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and

N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

- OEL Type: TWA - TWA: 1 mg/m3 - Notes: Inhalable



2-ETHYLHEXANOIC ACID, ZIRCONIIUM SALT - CAS: 22464-99-9

- OEL Type: National - TWA(8h): 5 mg/m3 - STEL: 10 mg/m3 - Notes: WEL, UK

- OEL Type: National - TWA: 5 mg/m3 - STEL: 10 mg/m3 - Notes: NDS, NDSch;Poland

DNEL Exposure Limit Values

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Worker Industry: 208 mg/kg b.w./day - Consumer: 125 mg/kg b.w./day - Exposure: Human

Dermal - Frequency: Long Term, systemic effects

Worker Industry: 871 mg/m3 - Consumer: 185 mg/kg b.w./day - Exposure: Human

Inhalation - Frequency: Long Term, systemic effects

Consumer: 125 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,

systemic effects

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, AROMATICS (2-25%)

Worker Industry: 44 mg/kg b.w./day - Consumer: 26 mg/kg b.w./day - Exposure: Human

Dermal - Frequency: Long Term, systemic effects

Worker Industry: 330 mg/m3 - Consumer: 71 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 26 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic

effects

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-,

2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-

methanamine, N,N-bis(2-ethylhexyl)-5-methyl-,

N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and

N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

Worker Industry: 1.3 mg/m3 - Consumer: 0.3 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 0.4 mg/kg - Consumer: 0.2 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Consumer: 0.2 - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 1.3 mg/m3 - Consumer: 0.3 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 0.4 mg/kg - Consumer: 0.2 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Consumer: 0.2 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-,

2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-

methanamine, N,N-bis(2-ethylhexyl)-5-methyl-,

N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and

N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

Target: Fresh Water - Value: 0.000976 mg/l

Target: Marine water - Value: 0.000098 mg/l

Target: Microorganisms in sewage treatments - Value: 0.69 mg/l

Target: Freshwater sediments - Value: 0.0121 mg/kg - Notes:: 0,0121 - 4,23 mg/kg

Target: Marine water sediments - Value: 0.00121 mg/kg - Notes:: 0,00121 - 0,423 mg/kg

Target: Soil - Value: 0.00184 mg/kg - Notes:: 0,00184 - 0,842 mg/kg



Target: Sporadic discharge - Value: 0.00976 mg/l Target: Sewage treatment plant - Value: 0.69 mg/l

Appropriate engineering controls:

None

Individual protection measures, such as personal protective equipment (PPE) Eye protection:

Safety goggles (EN 166)

Protection for skin:

Chemical protection clothing. (type 4 - EN14605)

Protection for hands:

Suitable gloves type: NF EN374

NBR (nitrile rubber). PVA (Polyvinyl alcohol).

Respiratory protection:

Filtering Half-face mask (NF EN 149), class FFP1 Mask with filter "A1", brown colour (NF EN14387)

Filtering device (NF EN 143): P1, white

Thermal Hazards:

None

9. Physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	brown / red		
Odour:	N.A.		
pH:	Not Relevant		
Kinematic viscosity:	N.A.		
Melting point / freezing point:	Not Relevant		
Initial boiling point and boiling range:	<= 35°C		
Flammability:	Extremely flammable aerosol		
Flash point (°C):	41 °C	NF EN ISO 13736	liquid product



Upper/lower flammability or explosive limits:	0.6-14%			
Vapour pressure:	N.A.			
Vapour density:	N.A.			
Relative density:	< 1			
Solubility in water:	N.A.			
Solubility in oil:	N.A.			
Partition coefficient (n-octanol/water):	N.A.			
Auto-ignition temperature: 60% not dangerous substances	>201°C		40% Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics	
Decomposition temperature:	N.A.			
Particle characteristics:				
Particle size:	N.A.			
`	•	•		

SECTION 10: Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

Hazardous decomposition products

None.



11. Toxicological information

Information on toxicological effects

Toxicological information of the product:

SOCOPAC 50S AEROSOL

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

Skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

The product is classified: STOT SE 3 H336

STOT-repeated exposure

The product is classified: STOT RE 2 H373

Aspiration hazard

The product is classified: Asp. Tox. 1 H304

Toxicological information of the main substances found in the product:

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Duration: 4h - Source: OECD 401 Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Duration: 24 hours - Source:

OECD 402

Test: LC50 - Route: Inhalation - Species: Rat > 4951 mg/m3 - Duration: 4h - Source:

OECD 403

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, AROMATICS (2-25%)

Acute toxicity:

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 13.1 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rat > 3400 mg/kg



Test: LD50 - Route: Oral - Species: Rat > 15000 mg/kg

Reproductive toxicity:

Test: NOAEC - Route: Inhalation - Species: Rat > 300 ppm

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-,

2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-

methanamine, N,N-bis(2-ethylhexyl)-5-methyl-,

N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2.000 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2.000 mg/kg

12. Ecological information

Toxicity

Adopt good working practices, so that the product is not released into the environment. SOCOPAC 50S AEROSOL

The product is classified: Aquatic Chronic 3 - H412

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 72 - Notes: Pseudokirchnerella subcapitata

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: DSEO-R (NOELR) - Species: Algae = 3 mg/l - Duration h: 72 - Notes:

Pseudokirchnerella subcapitata - biomass - OECD 201)

Endpoint: DSEO-R (NOELR) - Species: Algae = 100 mg/l - Duration h: 72 - Notes:

Pseudokirchnerella subcapitata - growth rate - EOCD 201)

b) Aquatic chronic toxicity:

Endpoint: DSEO-R (NOELR) - Species: Daphnia = 0.23 mg/l - Duration h: 504 - Notes:

Daphnia magna - QSAR Petrotox

Endpoint: DSEO-R (NOELR) - Species: Fish = 0.13 mg/l - Duration h: 672 - Notes:

Oncorhynchus mykiss - QSAR Petrotox

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, AROMATICS (2-25%)

a) Aquatic acute toxicity:

Endpoint: EL50

- Species: Daphnia > 10 mg/l - Duration h: 48

Endpoint: EL50

- Species: Daphnia < 22 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish > 10 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss



Endpoint: LC50 - Species: Fish < 30 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss Endpoint: EL50

- Species: Aquatic plants = 2.3 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Endpoint: EL50

- Species: Microorganisms = 43.98 mg/l - Duration h: 48 - Notes: Tetrahymena pyriformis b) Aquatic chronic toxicity:

Endpoint: NOEL - Species: Fish = 0.13 mg/l - Duration h: 672 - Notes: Oncorhynchus mykiss

Endpoint: NOEL - Species: Aquatic invertebrates = 0.28 mg/l - Duration h: 504 - Notes: Daphnia magna

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Rainbow trout /Truite arc-en-ciel

Endpoint: NOEC - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Rainbow trout /Truite arc-en-ciel

Endpoint: LC0 - Species: Fish > 10000 mg/kg/d - Duration h: 96 - Notes: Cyprinodon variegatus

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 100.1 mg/l - Duration h: 72 - Notes: Selenestrum capricomutum

Endpoint: EC50 - Species: Microorganisms = 10000 mg/l - Notes: Sludge / boues (0.1 day / 0,1 jour)

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2- methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1.3 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 1.4 mg/l - Duration h: 24

Endpoint: EC50 - Species: Algae = 0.976 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus, taux de croissance

Endpoint: EC10 - Species: Algae = 0.658 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus, taux de croissance

c) Bacteria toxicity:

Species: bacteria = 69 mg/l - Duration h: 3 - Notes: CI50

Persistence and degradability

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Biodegradability: Biodegradability rate - Duration: 28 days - %: 80%

Biodegradability: Photodegradation (in air)

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, AROMATICS (2-25%)

Biodegradability: Biodegradability rate - Duration: 28 days - %: 74.7

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

Biodegradability: Non-readily biodegradable - Test: OECD TG 301 D - Duration: 28 days -



%: 8 %

Reaction products between 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-méthyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2methanamine, N,N-bis(2-ethylhexyl)-5-methyl-,

N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1- methylamine and

N,N-Bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

Biodegradability: Non-readily biodegradable

Bioaccumulative potential

BENZENESULFONIC ACID, DI-C10-14-ALKYL DERIVS, CALCIUM SALTS

Log Kow 26.22

Mobility in soil

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, AROMATICS (2-25%)

Surface tension 24.7 mN/m - Notes: 25°C

Other adverse effects

Deutschland: WGK 2 (VwVwS vom 27/07/2005, KBws): Wassergefährdend.

13. Disposal considerations

Disposal methods:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.

14. Transport information



UN number

ADR-UN Number: 1950 IATA-UN Number: 1950 IMDG-UN Number: 1950

UN proper shipping name

ADR-Shipping Name: AEROSOLS, flammable IATA-Shipping Name: AEROSOLS, flammable IMDG-Shipping Name: AEROSOLS, flammable

Transport hazard class(es)

2 ADR-Class: ADR - Hazard identification number:

IATA-Class: 2 IATA-Label: 2.1 IMDG-Class: 2

Packing group, if applicable

ADR-Packing Group: IATA-Packing group:

P19191/3



IMDG-Packing group: -

Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

Special precautions for user

ADR-Subsidiary hazards: See SP63

ADR-S.P.: 190 327 344 625

ADR-Transport category (Tunnel restriction code): 2 (D)

IATA-Passenger Aircraft: 203

IATA-Subsidiary hazards: See SP63

IATA-Cargo Aircraft: 203

IATA-S.P.: A145 A167 A802

IATA-ERG: 10L

IMDG-EmS:F-D , S-UIMDG-Subsidiary hazards:See SP63IMDG-Stowage and handling:SW1 SW22IMDG-Segregation:SG69

Transport in bulk according to IMO instruments

N.A.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question.

This Safety Data Sheet has been prepared according to the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Seventh revised edition.

International Inventories:

The substances are listed or exempted from registration in the following international inventories: N.A.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS (CAS No. 64742-48-9)

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, AROMATICS (2-25%) (CAS No. 64742-82-1)

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)

16. Other information

This document was prepared by a competent person who has received appropriate training. Classification complies with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS Ed.7) and is conform to Safe Work Australia Regulation.



Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H280 Contains gas under pressure; may explode if heated.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

H361 (Inhalation, Skin) Suspected of damaging fertility or the unborn child if inhaled and in contact with skin.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

P19191/3 Page 14 / 15



IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWA: Time-weighted average

WGK: German Water Hazard Class.

Safety Data Sheet date: 31/1/2024, version 3